



US00D408449S

# United States Patent [19]

[11] Patent Number: Des. 408,449

Ho

[45] Date of Patent: \*\*Apr. 20, 1999

## [54] ERASABLE DOOR KNOB TAG WITH MARKER-PEN SLOT

[76] Inventor: Peter Pei-Tak Ho, 3723 N. Cicero Ave., Chicago, Ill. 60641

[\*\*] Term: 14 Years

[21] Appl. No.: 29/079,581

[22] Filed: Nov. 14, 1997

[51] LOC (6) CL ..... 19-06

[52] U.S. Cl. .... D19/52; D19/78; D19/83; D20/42

[58] Field of Search ..... D19/35, 36, 52, D19/65, 75, 78, 81-85, 86, 90, 91, 99, 100; D6/512, 515, 518, 519; D20/40, 42, 43; 281/31, 45; 40/663; 211/73; 248/316.5; 206/39.6, 425

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 254,226	2/1980	Morse	.....	D7/45
D. 270,273	8/1983	Kosmicki	.....	D19/52
D. 280,646	9/1985	Howard et al.	.....	D20/40
D. 316,877	5/1991	Mitchell	.....	D20/43
D. 329,468	9/1992	Hatt	.....	D20/42
D. 332,970	2/1993	Myers	.....	D19/78
D. 349,516	8/1994	Svee	.....	D20/42
D. 354,519	1/1995	Wagner	.....	D19/85
D. 390,882	2/1998	Ho	.....	D20/42
D. 394,882	6/1998	Ho	.....	D19/90
632,155	8/1899	Smith	.....	248/316.5
844,948	2/1907	Lynch	.....	281/31
1,212,349	1/1917	Hardy	.....	206/39.6
2,528,695	11/1950	King	.....	281/45
2,758,723	8/1956	Morris et al.	.....	211/73
4,216,598	8/1980	Newbert	.....	40/331
4,545,521	10/1985	Hiersteiner	.....	40/331
4,862,617	9/1989	Cooke, Jr. et al.	.....	40/663
5,137,453	8/1992	Hudson	.....	434/408
5,480,037	1/1996	Pope	.....	211/50
5,554,034	9/1996	Zand	.....	434/263

#### OTHER PUBLICATIONS

- Catalog p. 28 from TradeNet Line, 1997.
- Catalog p. 47 from The California Line, date unknown.
- Catalog p. 27 from Arthur Blank & Co, date unknown.

Primary Examiner—Martie K. Holtje

### [57] CLAIM

The ornamental design for an erasable door knob tag with marker-pen slot, as shown and described.

### DESCRIPTION

FIG. 1 is a front elevation view of an erasable door knob tag with marker-pen slot showing my new design;

FIG. 2 is a side elevation view, the other side being a mirror image thereof;

FIG. 3 is a bottom plan view thereof;

FIG. 4 is an enlarged fragmentary cross-sectional view of the perforation taken along lines 4—4 of FIG. 1;

FIG. 5 is a top plan view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is an enlarged fragmentary cross-sectional view taken along lines 7—7 of FIG. 6;

FIG. 8 is an enlarged fragmentary cross-sectional view taken along lines 8—8 of FIG. 6;

FIG. 9 is an enlarged fragmentary cross-sectional view taken along lines 9—9 of FIG. 6;

FIG. 10 is a perspective view of FIG. 1 thereof;

FIG. 11 is a front elevation view of the erasable door knob tag with a marker-pen placed in the slot;

FIG. 12 is a side elevation view with respect to FIG. 11;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a top plan view thereof;

FIG. 15 is a perspective view thereof;

FIG. 16 is a second embodiment of FIG. 1, it being understood that the undisclosed top, left-side, right-side and bottom views the same as in FIGS. 2, 3 and 5, the rear view being a mirror image thereof; and,

FIG. 17 is a perspective view of the second embodiment thereof.

The dashed lines in FIGS. 1, 6, 10, 16 and 17 have been employed to depict scored fold lines. The broken lines showing the outlines of a marker-pen on FIGS. 11—15 are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG. 5



FIG. 1




FIG. 4






FIG. 2



FIG. 3








FIG. 14

FIG. 11




FIG. 12





FIG. 13

FIG. 15




FIG. 16




FIG. 17

