



US00D408592S

United States Patent [19]

Litton

[11] Patent Number: **Des. 408,592**

[45] Date of Patent: ****Apr. 20, 1999**

[54] COSMETIC DISPENSER

[75] Inventor: **Garfield Litton**, Glenrock, N.J.

[73] Assignee: **Revlon Consumer Products Corporation**, New York, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **29/077,463**

[22] Filed: **Oct. 6, 1997**

[51] LOC (6) CL **28-03**

[52] U.S. Cl. **D28/76; D28/7; D28/88; D19/51; D19/55**

[58] Field of Search **D28/7, 76, 77, D28/85, 86, 88, 89; D19/41, 43, 45, 46, 51, 55; 132/317, 318, 320, 218; 401/55-61, 89, 95, 98, 196, 198-202, 206, 207**

[56] References Cited

U.S. PATENT DOCUMENTS

193,190	7/1877	Smith	401/95
D. 279,992	8/1985	Gribb	D19/43
D. 282,378	1/1986	Ohyabu et al.	D19/43
D. 318,538	7/1991	Shinohara	D28/7
D. 353,397	12/1994	Banik	D19/66
D. 366,901	2/1996	Takahashi	D19/51
487,799	12/1892	Townsend	401/17
1,910,669	5/1933	Biederman	132/320 X
2,264,482	12/1941	Rider, Sr. et al.	401/11
2,374,065	4/1945	Worthington	401/123
2,442,503	6/1948	Melnikoff	132/320
2,640,216	6/1953	Gottlieb	401/185
3,181,539	5/1965	Aston	132/218 X
3,317,036	5/1967	Cherba	401/78
3,807,881	4/1974	Seidler	401/175
3,825,021	7/1974	Seidler	132/320
4,050,826	9/1977	Berghahn et al.	401/196
4,413,751	11/1983	Tokorozawa	222/1
4,828,419	5/1989	Porter et al.	401/126
4,976,562	12/1990	Spivey et al.	401/123
4,984,922	1/1991	Iizuka	401/277
5,308,180	5/1994	Pournoor et al.	401/205

(List continued on next page.)

FOREIGN PATENT DOCUMENTS

37270 1/1886 Germany 401/67
435504 5/1948 Italy .

Primary Examiner—Ted Shooman
Assistant Examiner—C. Tuttle
Attorney, Agent, or Firm—Julie Blackburn


[57] CLAIM

The ornamental design for a cosmetic dispenser, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of the dispenser in the closed position;
 FIG. 2 is a front elevational view of FIG. 1, the opposite side appearing the same;
 FIG. 3 is a top plan view of FIG. 1;
 FIG. 4 is a bottom plan view of FIG. 1;
 FIG. 5 is an exploded perspective view of one embodiment of the dispenser;
 FIG. 6 is a front elevational view of the embodiment in FIG. 5 shown without the cap for ease of illustration;
 FIG. 7 is a top plan view of FIG. 6;
 FIG. 8 is an exploded perspective view of a second embodiment of the dispenser;
 FIG. 9 is a side elevational view of the embodiment in FIG. 8 shown without the cap for ease of illustration;
 FIG. 10 is a front elevational view of FIG. 9;
 FIG. 11 is a rear elevational view of the dispenser of FIG. 9;
 FIG. 12 is a top plan view of the dispenser of FIG. 9;
 FIG. 13 is an exploded perspective view of a third embodiment of the dispenser;
 FIG. 14 is a front elevational view of the embodiment in FIG. 13 shown without the cap for ease of illustration;
 FIG. 15 is a right side elevational view of FIG. 14;
 FIG. 16 is a rear elevational view of FIG. 14;
 FIG. 17 is a top plan view of FIG. 14;
 FIG. 18 is an exploded perspective view of a fourth embodiment of the dispenser;
 FIG. 19 is a front elevational view of the embodiment in FIG. 18 shown without the cap for ease of illustration; and, FIG. 20 is a top plan view of the dispenser of FIG. 19.

1 Claim, 5 Drawing Sheets



Des. 408,592

Page 2

U.S. PATENT DOCUMENTS

5,320,442	6/1994	Yanagisawa et al.	401/172	5,454,660	10/1995	Sakurai et al.	401/266
5,332,325	7/1994	Crosnier et al.	401/119	5,538,022	7/1996	Bennett	132/318
5,339,841	8/1994	Gueret	132/218	5,577,851	11/1996	Koptis	401/202
				5,803,640	9/1998	Nakajima et al.	401/174

FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6



FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20

