



US00D408653S

United States Patent [19]

Dotson et al.

[11] Patent Number: Des. 408,653

[45] Date of Patent: ***Apr. 27, 1999

[54] **STAND FOR HOLDING A MUSICAL INSTRUMENT**

[76] Inventors: **John J. Dotson**, 21B Hoydens Rd., Fairfield, Conn. 06430; **Fred D. Dotson**, 27 Brushy Hill Rd., Newtown, Conn. 06470

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: **14 Years**

[21] Appl. No.: **29/089,306**

[22] Filed: **Jun. 12, 1998**

Related U.S. Application Data

[63] Continuation-in-part of application No. 29/080,776, Dec. 16, 1997, Pat. No. Des. 400,734.

[51] **LOC (6) Cl.** **06-04**

[52] **U.S. Cl.** **D6/450; D6/466**

[58] **Field of Search** D6/450, 303, 466, D6/512, 467; D17/99; 84/327; 211/85.6; 248/441.1, 442.2, 450, 451, 454-456, 133, 121, 152, 174, 176.1

[56] References Cited

U.S. PATENT DOCUMENTS

- D. 261,707 11/1981 Mears D6/512
- D. 329,342 9/1992 Schoenig D6/466
- D. 353,729 12/1994 MacOwan D6/466

- D. 357,828 5/1995 Liao D6/466
- D. 375,003 10/1996 Nordstrom, Jr. D6/466
- D. 384,235 9/1997 Dardashti D6/450 X
- D. 389,341 1/1998 Danner et al. D6/466
- 2,236,133 3/1941 Croniger et al. 248/442.2
- 3,737,137 6/1973 Sheehan 248/441.1
- 3,958,786 5/1976 Mann 84/327 X
- 4,187,947 2/1980 Dunn et al. 211/85.6
- 4,943,021 7/1990 Cien et al. 84/327 X
- 5,029,796 7/1991 Schoenig 248/441.1 X
- 5,149,905 9/1992 Count 84/327 X
- 5,313,866 5/1994 Smith 84/327

Primary Examiner—Doris V. Coles
Assistant Examiner—Linda Brooks
Attorney, Agent, or Firm—Mark P. Stone


[57] CLAIM

The ornamental design for a stand for holding a musical instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a stand for holding a musical instrument showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a perspective view of a second embodiment of our design, the only difference being the removal of the pegs, it being understood that all the other surfaces are the same as the first embodiment shown in FIGS. 1-6.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4




FIG. 6




FIG. 5




FIG. 7