



US00D408698S

United States Patent [19] Chen

[11] **Patent Number: Des. 408,698**

[45] **Date of Patent: **Apr. 27, 1999**

[54] **BINDING DEVICE**

[76] **Inventor: Chih-Liang Chen**, No. 10, Lane 1431, Kuanghsing Rd., Pateh City, Taoyuan Hsien, Taiwan

[**] **Term: 14 Years**

[21] **Appl. No.: 29/079,203**

[22] **Filed: Nov. 14, 1997**

[51] **LOC (6) Cl. 08-05**

[52] **U.S. Cl. D8/44; D8/51**

[58] **Field of Search D8/51, 44; 100/1; 140/93 A, 93.2, 93.4, 123.6**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 271,178	11/1983	Suzuki	D8/51
D. 297,399	8/1988	Furutsu	D8/44
D. 327,398	6/1992	Meyers	D8/51
D. 333,415	2/1993	Furutsu	D8/51

D. 365,003	12/1995	Davignon et al.	D8/51
398,935	3/1889	Beu	100/1
4,763,700	8/1988	Hidaka et al.	140/93.2
5,167,265	12/1992	Sakamoto	140/93 A

Primary Examiner—Alan P. Douglas
Assistant Examiner—Reid Hecker
Attorney, Agent, or Firm—Rosenberg, Klein & Bilker


[57] **CLAIM**

The ornamental design for a binding device, as shown.

DESCRIPTION

Fig. 1 is a perspective view of a binding device showing my new design;
FIG. 2 is a right side view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7