



US00D408732S

**United States Patent** [19]  
**Gaffney et al.**

[11] **Patent Number: Des. 408,732**

[45] **Date of Patent: \*\*Apr. 27, 1999**

[54] **PACKAGE FOR BATTERIES**

[75] Inventors: **Robert C. Gaffney**, Sun Prairie;  
**Gerald A. Albright**, Middleton; **Larry K. Bauer**, Madison, all of Wis.

[73] Assignee: **Rayovac Corporation**, Madison, Wis.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/083,016**

[22] Filed: **Feb. 2, 1998**

[51] **LOC (6) Cl.** ..... **09-07**

[52] **U.S. Cl.** ..... **D9/415**

[58] **Field of Search** ..... D9/415, 418, 341,  
D9/337, 346, 456; 200/461-471, 806, 333,  
445, 495, 775-783, 303; 224/902

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 222,581	11/1971	Nakakuma	.....	D9/415
D. 295,833	5/1988	Roth	.....	D9/337
D. 307,554	5/1990	McAlister, Sr.	.....	D9/415
D. 330,855	11/1992	DeMcPoulos et al.	.....	D9/341 X
D. 393,799	4/1998	Pope et al.	.....	D9/415
D. 394,207	5/1998	Waterbury et al.	.....	D9/415
4,896,770	1/1990	Catrano et al.	.....	206/461 X
5,311,989	5/1994	Ward et al.	.	
5,429,233	7/1995	Juaristi	.....	206/461 X
5,462,161	10/1995	Haaburda et al.	.....	206/420 X
5,586,657	12/1996	Ward	.	
5,593,636	1/1997	Dyboe et al.	.....	206/464

**OTHER PUBLICATIONS**

“New PDQ Display,” Rayovac Corporation, Madison, Wisconsin. No date.

“Rayovac Maximum® Challenge Dangler,” Rayovac Corporation, Madison, Wisconsin no date.

*Primary Examiner*—Prabhakar Deshmukh  
*Attorney, Agent, or Firm*—Lathrop & Clark LLP


[57] **CLAIM**


The ornamental design for a package for batteries, as shown and described.

**DESCRIPTION**


FIG. 1 is a front isometric view of a package for batteries of this invention;  
FIG. 2 is a left side elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a front elevational view thereof;  
FIG. 5 is a rear elevational view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a top plan view thereof;  
FIG. 8 is a front elevational view of an alternative embodiment package for batteries of this invention, the rear elevational view being identical to FIG. 5;  
FIG. 9 is a left side elevational view thereof;  
FIG. 10 is a right side elevational view thereof;  
FIG. 11 is a bottom plan view thereof; and,  
FIG. 12 is a top plan view thereof.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*




*Fig. 5*




*Fig. 6*




*Fig. 7*




*Fig. 8*




*Fig. 9*



*Fig. 10*



*Fig. 11*



*Fig. 12*