



US00D408780S

United States Patent [19] Gaiter

[11] Patent Number: **Des. 408,780**

[45] Date of Patent: **** Apr. 27, 1999**

[54] **VEHICLE FOR USE IN OUTER SPACE AS A SPACE PROBE, PLANETARY ROVER OR SPACE SHIP**

[76] Inventor: **Kenneth M. Gaiter**, 680 Lawton St., SW., Apt. 5, Atlanta, Ga. 30310

[**] Term: **14 Years**

[21] Appl. No.: **29/091,828**

[22] Filed: **Aug. 6, 1998**

[51] **LOC (6) Cl.** **12-06**

[52] **U.S. Cl.** **D12/320; 180/210; 280/62**

[58] **Field of Search** **D12/319-345; 244/2, 173; 180/210, 212; 280/62, 79.11**

[56] **References Cited**

U.S. PATENT DOCUMENTS

2,625,230	1/1953	Burkhardt	180/210
4,830,097	5/1989	Tanzer	244/173 X
4,892,273	1/1990	Fedor	244/173
5,211,360	5/1993	Zimelman	244/164
5,785,280	7/1998	Baghdasarian	244/173

Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Bernstein & Associates, P.C.

[57] **CLAIM**

The ornamental design for my vehicle for use in outer space as a space probe, planetary rover or space ship, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of my vehicle for use in outer space as a space probe, planetary rover or space ship;

FIG. 2 is a right side elevation view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a rear elevation view thereof;

FIG. 5 is a front elevation view thereof;

FIG. 6 is a bottom plan view thereof.

FIG. 7 is a perspective view of a second embodiment of my vehicle for use in outer space as a space probe, planetary rover or space ship;

FIG. 8 is a right side elevation view thereof;

FIG. 9 is a top plan view thereof;

FIG. 10 is a rear elevation view thereof;

FIG. 11 is a front elevation view thereof;

FIG. 12 is a bottom plan view thereof.

FIG. 13 is a perspective view of a third embodiment of my vehicle for use in outer space as a space probe, planetary rover or space ship;

FIG. 14 is a right side elevation view thereof;


FIG. 15 is a top plan view thereof;

FIG. 16 is a rear elevation view thereof;

FIG. 17 is a front elevation view thereof; and,

FIG. 18 is a bottom plan view thereof.

1 Claim, 9 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 9




FIG. 8




FIG. 10




FIG. 11




FIG. 12




FIG.13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D408,780
DATED : April 27, 1999
INVENTOR(S) : Kenneth M. Gaiter

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, after item [22], filed: insert [60] Related U.S.
Application Data Continuation-In-Part of Application Serial No. 29/065,401
filed Jan. 28, 1997--.

Signed and Sealed this
Twenty-eighth Day of November, 2000

Attest:



Q. TODD DICKINSON

Attesting Officer

Director of Patents and Trademarks