



US00D408790S

United States Patent [19]
Kiely et al.

[11] **Patent Number: Des. 408,790**
[45] **Date of Patent: **Apr. 27, 1999**

[54] **SLOTTED INSULATED BUSHING**

DESCRIPTION

[75] Inventors: **Kenneth M. Kiely**, Milford; **Delbert L. Auray**, Southport, both of Conn.

[73] Assignee: **Bridgeport Fittings, Inc.**, Stratford, Conn.

[**] Term: **14 Years**

[21] Appl. No.: **29/089,928**

[22] Filed: **Jun. 26, 1998**

[51] **LOC (6) Cl.** **08-05**

[52] **U.S. Cl.** **D8/356**

[58] **Field of Search** D8/356, 354; 24/16 PB, 24/16 R, 115 H, 129 R, 129 D; 174/153 G, 117 F; 248/56

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 358,545	5/1995	Price	D8/356
1,098,775	6/1914	Wheelock	248/56 X
1,851,940	3/1932	Williams	248/56 X
2,182,847	12/1939	Johnson	248/68.1 X
3,058,759	10/1962	McDuff	248/56
3,162,412	12/1964	McEntire	248/56


Primary Examiner—Holly Baynham
Attorney, Agent, or Firm—Melvin I. Stoltz

[57] **CLAIM**

The ornamental design for a slotted insulating bushing, as shown and described.

FIG. 1 is a top plan view of the slotted insulating bushing showing our new design;
 FIG. 2 is a bottom plan view thereof;
 FIG. 3 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance;
 FIG. 4 is a top plan view of a second embodiment of the slotted insulating bushing showing our new design;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance;
 FIG. 7 is a top plan view of a third embodiment of the slotted insulating bushing showing our new design;
 FIG. 8 is a bottom plan view thereof;
 FIG. 9 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance;
 FIG. 10 is a top plan view of a fourth embodiment of the slotted insulating bushing showing our new design;
 FIG. 11 is a bottom plan view thereof;
 FIG. 12 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance;
 FIG. 13 is a top plan view of a fifth embodiment of the slotted insulating bushing showing our new design;
 FIG. 14 is a bottom plan view thereof;
 FIG. 15 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance;
 FIG. 16 is a top plan view of a sixth embodiment of the slotted insulating bushing showing our new design;
 FIG. 17 is a bottom plan view thereof; and,
 FIG. 18 is a side elevational view thereof with the opposite and adjacent sides being identical in appearance.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18