



US00D408819S

United States Patent [19]

Katsumata

[11] **Patent Number: Des. 408,819**

[45] **Date of Patent: **Apr. 27, 1999**

[54] **SPEAKER**

[75] Inventor: **Yoshihiro Katsumata**, Hamamatsu, Japan

[73] Assignee: **Yamaha Corporation**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/088,117**

[22] Filed: **May 14, 1998**

[30] **Foreign Application Priority Data**

Dec. 3, 1997 [JP] Japan 77-085/1997

[51] **LOC (6) Cl.** **14-01**

[52] **U.S. Cl.** **D14/214**

[58] **Field of Search** D14/204, 207, D14/209-214; 181/144, 145, 147, 148, 150, 153, 198, 199; 381/88, 90, 91, 153, 159, 186, 188

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 214,960 8/1969 Gothing D14/214

D. 215,300	9/1969	Kamp et al.	D14/214
D. 231,660	5/1974	Ishikawa	D14/214
D. 242,552	11/1976	Maeda	D14/214
D. 304,586	11/1989	Freadman	D14/213 X
D. 358,818	5/1995	Rozier et al.	D14/214
3,073,203	1/1963	Evans	D14/214 X
5,170,436	12/1992	Powell	381/90

Primary Examiner—Philip S. Hyder
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP

[57] **CLAIM**

The ornamental design for a speaker, as shown.

DESCRIPTION

FIG. 1 is a perspective view thereof looking from the upper right-side direction of a speaker; FIG. 2 is a front view thereof; FIG. 3 is a right-side view thereof; FIG. 4 is a top view thereof; FIG. 5 is a left-side view thereof; FIG. 6 is a rear view thereof; and, FIG. 7 is a bottom view thereof.

1 Claim, 3 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

