



US00D408822S

United States Patent [19]

Tajima et al.

[11] Patent Number: **Des. 408,822**

[45] Date of Patent: ****Apr. 27, 1999**

[54] **ELECTROACOUSTIC TRANSDUCER**

[75] Inventors: **Kazushige Tajima; Yoshio Imahori,**
both of Shizuoka, Japan

[73] Assignee: **Star Micronics Co., Ltd.,** Shizuoka,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/068,808**

[22] Filed: **Mar. 27, 1997**

[30] **Foreign Application Priority Data**

Sep. 27, 1996 [JP] Japan 8-28915

[51] **LOC (6) Cl.** **14-01**

[52] **U.S. Cl.** **D14/222; D10/116**

[58] **Field of Search** D10/75, 116; D13/152,
D13/156, 184, 199; D14/214, 217, 221-224,
299; 324/156; 340/392, 396; 367/157, 167,
175; 381/188-199, 205; 455/344, 347,
350, 351

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 339,544 9/1993 Sone D10/116
D. 350,705 9/1994 Sone D10/116

D. 371,312 7/1996 Suzuki D10/116
D. 373,546 9/1996 Imahori D10/116
D. 375,275 11/1996 Suzuki D10/116
D. 377,353 1/1997 Tajima et al. .
4,115,770 9/1978 Kanazawa 340/396

FOREIGN PATENT DOCUMENTS

948056 2/1996 Japan .

Primary Examiner—Ted Shooman
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak
& Seas, PLLC

[57] **CLAIM**

The ornamental design for an electroacoustic transducer, as shown.

DESCRIPTION

FIG. 1 is a perspective view of the front, bottom and right side of an electroacoustic transducer showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a rear elevational view thereof.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7

