

US00D408901S

United States Patent [19]
Machanic

[11] Patent Number: Des. 408,901
[45] Date of Patent: ** Apr. 27, 1999

[54] STAY DRY TOILET SEAT THIGH SUPPORT
PAD
[75] Inventor: Mindy Machanic, 2270 Willow Ave.,
Pittsburg, Calif. 94565
[73] Assignee: Mindy Machanic, Pittsburg, Calif.
[**] Term: 14 Years

2,241,967	5/1941	Sperzel et al.	4/237
2,598,577	5/1952	Mattison	4/237
2,928,104	3/1960	Kennedy	4/237
2,954,566	10/1960	Lottenberg	4/254
4,390,015	6/1983	Clements	602/23
4,457,029	7/1984	Matthews	4/237
4,664,444	5/1987	Murphy	297/284.11
4,693,513	9/1987	Health	297/284.11
5,311,617	5/1994	Ammatelli et al.	4/237

[21] Appl. No.: 29/077,677
[22] Filed: Oct. 1, 1997

FOREIGN PATENT DOCUMENTS

2627372	8/1989	France	4/254
27690	7/1914	United Kingdom	4/237

Related U.S. Application Data

[63] Continuation-in-part of application No. 08/660,976, Jun. 12, 1996, Pat. No. 5,704,075.
[51] LOC (6) Cl. 23-02
[52] U.S. Cl. D23/311
[58] Field of Search D23/303-311, D23/295-302; 4/237, 234, 661, 480, 667, 254, 905, 483; 297/DIG. 10, 284.11, 423.26, 452.21, 452.53; 602/23; D11/100-104

Primary Examiner—Lous S. Zarfas
Assistant Examiner—Eric Watterson
Attorney, Agent, or Firm—Townsend and Townsend and Crew LLP; Kevin T. LeMond

[57] CLAIM


The ornamental design for a stay-dry toilet seat thigh support pad, as shown and described.

DESCRIPTION

FIG. 1 is a enlarged perspective view of a stay-dry toilet seat thigh support pad showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a front elevational view thereof; and,
FIG. 4 is a right side elevational view, the left side elevational view being a mirror image.
The broken line showing is for illustrative purposes only and forms no part of the claimed design.

[56] References Cited
U.S. PATENT DOCUMENTS
D. 47,781 9/1915 Carson D11/104 X
D. 271,577 11/1983 Culkin D11/104
D. 279,727 7/1985 Mitchell D11/104 X
1,938,867 12/1933 Seale 4/254
2,060,698 11/1936 Sperzel 4/254
2,185,499 1/1940 Corser 4/237

1 Claim, 3 Drawing Sheets






FIG. 1.




FIG. 2.




FIG. 3.




FIG. 4.