



US00D408916S

United States Patent [19]

Hayashi et al.

[11] **Patent Number: Des. 408,916**

[45] **Date of Patent: **Apr. 27, 1999**

[54] **X-RAY DIGITAL CAMERA**

[75] Inventors: **Hideki Hayashi**, Fujimi; **Hiroyuki Koizumi**, Tokyo, both of Japan

[73] Assignee: **Canon Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/089,016**

[22] Filed: **Jun. 5, 1998**

[30] Foreign Application Priority Data

Feb. 6, 1998 [JP] Japan 10-003254

[51] **LOC (6) Cl.** **24-01**

[52] **U.S. Cl.** **D24/158**

[58] **Field of Search** D24/158; 600/567, 600/429; 378/37, 98.3; 250/370.08, 370.09

[56] References Cited

U.S. PATENT DOCUMENTS

5,142,557 8/1992 Toker et al. 378/37

5,216,250 6/1993 Pelligrino et al. 250/370.09
5,526,394 6/1996 Siczer et al. 378/37
5,539,797 7/1996 Heidsieck et al. 378/37
5,584,292 12/1996 Cheung 378/37 X

Primary Examiner—Stella Reid
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The ornamental design for an X-ray digital camera, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an X-ray digital camera showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

