



US00D409065S

United States Patent [19] Morita

[11] **Patent Number: Des. 409,065**
[45] **Date of Patent: ** May 4, 1999**

[54] **SPIKE PULLER**

[75] Inventor: **Ko Morita**, Ayase, Japan

[73] Assignee: **Kabushiki Kaisha Ogura**, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/084,384**

[22] Filed: **Mar. 2, 1998**

[30] **Foreign Application Priority Data**

Sep. 4, 1997 [JP] Japan 9-66785

[51] **LOC (6) Cl.** **08-01**

[52] **U.S. Cl.** **D8/61; D8/68**

[58] **Field of Search** D8/61, 68; 254/18,
254/22, 27, 30, 132; 173/206

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,704,591 1/1998 Byrne 254/18

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Adams & Wilks

[57] **CLAIM**

The ornamental design for a spike puller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a spike puller showing my new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;


FIG. 6 is a right side view thereof; and,

FIG. 7 is a left side view thereof.


1 Claim, 4 Drawing Sheets



F I G . 1



F I G . 2



F I G . 3




FIG. 4






FIG. 5



F I G . 7



F I G . 6

