



US00D409630S

**United States Patent** [19]  
**Cornell et al.**

[11] **Patent Number: Des. 409,630**  
[45] **Date of Patent: \*\* May 11, 1999**

[54] **CIRCLE CUTTER**

**DESCRIPTION**

[75] Inventors: **Robert W. Cornell**, Schofield; **Randall J. Urness**, Plover, both of Wis.

FIG. 1 is an isometric view of a circle cutter having a radially positionable arm;

[73] Assignee: **Fiskars Inc.**, Wausau, Wis.

FIG. 2 is a top plan view of the circle cutter shown in FIG. 1;

[\*\*] Term: **14 Years**

FIG. 3 is a left side elevation view of the circle cutter shown in FIG. 1 with the positionable arm in a retracted position, the opposite side of the circle cutter being the same as that shown in FIG. 3;

[21] Appl. No.: **29/082,874**

[22] Filed: **Jan. 30, 1998**

FIG. 4 is a front end elevation view of the circle cutter shown in FIG. 1;

[51] **LOC (6) Cl.** ..... **15-09**

[52] **U.S. Cl.** ..... **D15/127**

[58] **Field of Search** ..... D15/127; D8/98; 30/319; 83/300, 304, 310, 456, 464, 490, 508.2, 565, 745; 266/58, 70; 408/102

FIG. 5 is a rear end elevation of the circle cutter shown in FIG. 1;

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

179,039	6/1876	McAdams .	
494,864	4/1893	Huston .	
572,320	12/1896	Stuparich .	
658,710	9/1900	Forker .	
658,711	9/1900	Forker .	
701,828	6/1902	Arnold .	
705,576	7/1902	Forker .	
742,047	10/1903	Moehle .	
1,391,530	9/1921	Diego .	
3,621,574	11/1971	Yanke et al. .	
4,222,169	9/1980	Lockwood .	
4,773,798	9/1988	Gaster et al. .	
4,782,730	11/1988	Picone et al. .	
5,038,651	8/1991	Burdick .....	83/565

FIG. 6 is a bottom plan view of the circle cutter shown in FIG. 1 with the positionable arm in a retracted position;

FIG. 7 is a right side elevation of the circle cutter shown in FIG. 1 with the positionable arm in an extended position, the opposite side of the circle cutter being the same as that shown in FIG. 7;

**OTHER PUBLICATIONS**

Packaging for NY Cutters, Part No's. C-2500P and C-1500P, NT Incorporated.

FIG. 8 is an isometric view of the circle cutter of FIG. 1 with only the palm pad and a portion of the housing in solid lines;

FIG. 9 is a top plan view of the circle cutter shown in FIG. 8;

*Primary Examiner*—Antoine Duval Davis  
*Attorney, Agent, or Firm*—Foley & Lardner

FIG. 10 is a left side elevation view of the circle cutter shown in FIG. 8, the opposite side of the circle cutter being the same as that shown in FIG. 10;

FIG. 11 is a front end elevation view of the circle cutter shown in FIG. 8;

[57] **CLAIM**


The ornamental design of a circle cutter, as shown and described.

FIG. 12 is a rear end elevation view of the circle cutter shown in FIG. 8; and,

FIG. 13 is a bottom plan view of the circle cutter shown in FIG. 8.

The broken lines showing portions of the circle cutter in the FIG's. are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5





FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13

