



US00D409634S

United States Patent [19]

[11] Patent Number: Des. 409,634

Byerly et al.

[45] Date of Patent: ** May 11, 1999

[54] CARTRIDGE FOR A LIQUID DISPENSING DEVICE

[75] Inventors: David J. Byerly, Lawrenceville;
Charles P. Ganzer, Cumming, both of Ga.

[73] Assignee: Nordson Corporation, Westlake, Ohio

[**] Term: 14 Years

[21] Appl. No.: 29/079,593

[22] Filed: Nov. 3, 1997

[51] LOC (6) Cl. 15-09

[52] U.S. Cl. D15/144.1

[58] Field of Search D15/144.1, 144.2;
222/380, 389, 390; 604/183, 236; 137/541

[56] References Cited

U.S. PATENT DOCUMENTS

Re. 27,865	1/1974	Baker et al.	222/504
D. 401,600	11/1998	Byerly et al.	D15/144.2
3,840,158	10/1974	Baker et al.	222/487
4,066,188	1/1978	Scholl et al.	222/146
4,295,573	10/1981	Terry et al.	215/348
4,334,637	6/1982	Baker et al.	222/146
4,465,212	8/1984	Boone	222/504
4,579,255	4/1986	Frates et al.	222/149
4,801,051	1/1989	Lewis et al.	222/309
4,989,792	2/1991	Claassen	239/586
5,027,352	6/1991	Porter et al.	222/1
5,277,344	1/1994	Jenkins	222/504
5,292,068	3/1994	Rateman et al.	239/11
5,447,254	9/1995	Hoover et al.	222/1
5,598,974	2/1997	Lewis et al.	239/135

FOREIGN PATENT DOCUMENTS

0790080	8/1997	European Pat. Off. .
4313161	10/1993	Germany .

OTHER PUBLICATIONS

Nordson Corporation, *H-200 Series Modular Hot Melt Guns, Product Information*, 1981, 2 pages.

Mercer Corporation, *Low Profile Heads featuring Quick-change "Repairable Screw-in Cartridges"*, 1982, 7 pages.

Nordson Corporation, *Module, H2000, Adjustable*, 272282, Drawing, 1980.

Vertriebs- und Entwicklungsgesellschaft mbH, *UES® Klebetechnik, Beschreibung der Modulserie H300*, Leaflet (undated), 4 pages.

Nordson Corporation, *H-201 Zero Cavity Gun, Product Information*, 1985, 2 pages.

Nordson Corporation, *Drop-In Cartridge Hot Melt Gun Model AD-24*, Marketing Communications Bulletin, 1973, 2 pages.

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Wood, Herron & Evans, L.L.P.

[57] CLAIM

The ornamental design for a cartridge for a liquid dispensing device, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a first embodiment of the cartridge for a liquid dispensing device;

FIG. 2 is a right side view of the device shown in FIG. 1, the left side being a mirror image thereof;

FIG. 3 is a rear view of the first embodiment;

FIG. 4 is a top view of the first embodiment;

FIG. 5 is a bottom view of the first embodiment;

FIG. 6 is a front view of a second embodiment of the cartridge for a liquid dispensing device;


FIG. 7 is a right side view of the device shown in FIG. 6, the left side being a mirror image thereof;

FIG. 8 is a rear view of the second embodiment; and,

FIG. 9 is a top view of the second embodiment, the bottom view being the same as FIG. 5 of the first embodiment.

The elements shown in broken lines are for environmental purposes and form no part of the claimed invention.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9