



US00D409736S

**United States Patent** [19]  
**Koehn**

[11] **Patent Number: Des. 409,736**

[45] **Date of Patent: \*\* May 11, 1999**

[54] **SPLATTER STOPPER**

[76] Inventor: **Ervin Koehn**, 1420 N Grand, Enid, Okla. 73701

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/058,129**

[22] Filed: **Aug. 8, 1996**

[51] **LOC (6) Cl.** ..... **23-02**

[52] **U.S. Cl.** ..... **D23/310**

[58] **Field of Search** ..... **D23/303-311;**  
4/237, 300.3, 415, 251.1, 256.1, DIG. 5

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- 2,489,967 11/1949 Lavine .
- 2,583,718 1/1952 Walls .
- 2,791,780 5/1957 Krischer .
- 4,060,859 12/1977 Anderson .
- 4,282,611 8/1981 O'Day .

- 4,787,102 11/1988 Rosenberg .
- 5,276,925 1/1994 Blaha .

*Primary Examiner*—Louis S. Zarfes  
*Assistant Examiner*—Eric Watterson



[57] **CLAIM**

The ornamental design for a splatter stopper, as shown.


**DESCRIPTION**

FIG. 1 is a front plan view of the splatter stopper of the present invention;  
 FIG. 2 is a rear plan view of the splatter stopper of FIG. 1;  
 FIG. 3 is a right side plan view of the splatter stopper of FIG. 1;  
 FIG. 4 is a left side plan view of the splatter stopper of FIG. 1;  
 FIG. 5 is a top plan view of the splatter stopper of FIG. 1; and,  
 FIG. 6 is a bottom plan view of the splatter stopper of FIG. 1.


**1 Claim, 3 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*

