



US00D409920S

United States Patent [19]

[11] **Patent Number: Des. 409,920**

Fenton et al.

[45] **Date of Patent: ** May 18, 1999**

[54] **BOTTLE**

[75] Inventors: **Russell Rowan Fenton; Elmer H. Goss**, both of East Amherst, N.Y.

[73] Assignee: **FWJ Plastic Packaging, Inc.**, Getzville, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **29/094,158**

[22] Filed: **Sep. 28, 1998**

[51] **LOC (6) Cl.** **09-01**

[52] **U.S. Cl.** **D9/521; D9/337; D9/535; D9/542**

[58] **Field of Search** D9/520, 521, 539, D9/542, 531, 535, 337, 302; 215/399, 398, 385, 378, 382-384; 220/751; 222/212, 213, 215, 210

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 163,443 5/1951 Crane D9/337

D. 323,291	1/1992	Wilgus	D9/520
D. 355,363	2/1995	Iorii et al.	D9/521
D. 372,195	7/1996	Gerhart et al.	D9/521
D. 389,064	1/1998	Sethi et al.	D9/521
D. 391,855	3/1998	Fenton et al.	D9/521
D. 396,003	7/1998	Fenton et al.	D9/521

Primary Examiner—Lucy Lieberman
Attorney, Agent, or Firm—Harpman & Harpman

[57] **CLAIM**

The ornamental design for a bottle, as shown and described.


DESCRIPTION

FIG. 1 is a front elevation; the rear elevation is the same except for the conventional screw threading on the bottle's neck;

FIG. 2 is a right side elevational view thereof, the left side elevation is the same except for the conventional screw threading on the bottle neck;

FIG. 3 is a top plan view thereof; and, FIG. 4 is a bottom plan view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4