

US00D409959S

United States Patent [19]
Maxwell

[11] Patent Number: Des. 409,959
[45] Date of Patent: ** May 18, 1999

[54] TIRE TREAD
[75] Inventor: Paul Bryan Maxwell, Munroe Falls, Ohio
[73] Assignee: The Goodyear Tire & Rubber Comapny, Akron, Ohio
[**] Term: 14 Years
[21] Appl. No.: 29/084,071
[22] Filed: Feb. 23, 1998
[51] LOC (6) Cl. 12-15
[52] U.S. Cl. D12/147
[58] Field of Search D12/136, 138, D12/140-143, 146-152; 152/209 R, 209 A, 209 D


[56] References Cited
U.S. PATENT DOCUMENTS
D. 383,103 9/1997 Ratliff, Jr. D12/147
D. 384,921 10/1997 Ratliff, Jr. D12/147
D. 384,922 10/1997 Ratliff, Jr. D12/147
D. 388,378 12/1997 Ratliff, Jr. D12/147

D. 390,177 2/1998 Maxwell D12/147
D. 391,206 2/1998 Maxwell D12/147
D. 394,032 5/1998 Maxwell D12/147
Primary Examiner—Robert M. Spear
Attorney, Agent, or Firm—T P Lewandowski

[57] CLAIM
The ornamental design for a tire tread, as shown and described.

DESCRIPTION
FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof,
FIG. 4 is a side elevational view of the opposite side thereof; and,
FIG. 5 is a fragmentary enlarged perspective view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5