



US00D410136S

United States Patent [19]

Lefebvre et al.

[11] Patent Number: Des. 410,136

[45] Date of Patent: ** May 25, 1999

[54] SKATE BOOT UPPER

[75] Inventors: Jean-Claude Lefebvre, Ville d'Anjou; Francois Chenevert, Blainville, both of Canada

[73] Assignee: Bauer Inc., Canada

[**] Term: 14 Years

[21] Appl. No.: 29/084,520

[22] Filed: Mar. 5, 1998

[30] Foreign Application Priority Data

Sep. 5, 1997 [CA] Canada 1997-2315

[51] LOC (6) Cl. 02-04

[52] U.S. Cl. D2/904

[58] Field of Search D9/896, 902, 904, D9/909-912, 970; D21/760-764; 36/1.5, 83, 84, 89, 102-107, 112-115, 131; 280/841, 11.19, 11.21-11.23

[56] References Cited

U.S. PATENT DOCUMENTS

D. 79,155	8/1929	Manville	D2/911
D. 111,808	10/1938	Hosker	D2/912
D. 117,330	10/1939	Cairns	D2/902
D. 128,519	7/1941	Hard	D2/902
D. 174,987	6/1955	Gillis	D2/912
D. 220,912	6/1971	Sessa	D21/764
D. 245,800	9/1977	Gustavsson et al.	D21/762
D. 254,201	2/1980	Norton et al.	D21/762
D. 258,605	3/1981	Sanders	D21/763
D. 277,401	1/1985	Bourque	D2/902
D. 305,560	1/1990	Hoshizaki et al.	D21/762
D. 341,179	11/1993	Evans, III	D21/763
D. 346,192	4/1994	Miller et al.	D21/764
D. 399,278	10/1998	Meibock	D2/904
D. 399,642	10/1998	Hoshizaki et al.	D2/904
1,743,689	1/1930	Scroggins	36/89
1,968,580	1/1934	Johnson	36/89
4,222,183	9/1980	Haddox	36/114
4,835,885	6/1989	Hoshizaki et al.	36/115
4,869,001	9/1989	Brown	36/115
5,342,070	8/1994	Miller et al.	280/11.22
5,505,470	4/1996	Hoshizaki	280/11.22

Primary Examiner—Louis S. Zarfes
Assistant Examiner—G. Andoll
Attorney, Agent, or Firm—Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P.

[57] CLAIM

We claim the ornamental design for a skate boot upper, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a right skate boot upper embodying our design, the left skate boot upper being a mirror image thereof;

FIG. 2 is a left side elevational view of the skate boot upper shown in FIG. 1;

FIG. 3 is a bottom plan view of the skate boot upper shown in FIG. 1;

FIG. 4 is a top plan view of the skate boot upper shown in FIG. 1;

FIG. 5 is a right side elevational view of the skate boot upper shown in FIG. 1;

FIG. 6 is a front elevational view of the skate boot upper shown in FIG. 1;

FIG. 7 is a rear elevational view of the skate boot upper shown in FIG. 1;

FIG. 8 is a front perspective view of a second embodiment of a right skate boot upper embodying our design, the left skate boot upper being a mirror image thereof;

FIG. 9 is a left side elevational view of the skate boot upper shown in FIG. 8;

FIG. 10 is a bottom plan view of the skate boot upper shown in FIG. 8;

FIG. 11 is a top plan view of the skate boot upper shown in FIG. 8;

FIG. 12 is a right side elevational view of the skate boot upper shown in FIG. 8;

FIG. 13 is a front elevational view of the skate boot upper shown in FIG. 8;

FIG. 14 is a rear elevational view of the skate boot upper shown in FIG. 8;

FIG. 15 is a front perspective view of a third embodiment of a right skate boot upper embodying our design, the left skate boot upper being a mirror image thereof;

FIG. 16 is a left side elevational view of the skate boot upper shown in FIG. 15;




FIG. 17 is a bottom plan view of the skate boot upper shown in FIG. 15;

FIG. 18 is a top plan view of the skate boot upper shown in FIG. 15;

FIG. 19 is a right side elevational view of the skate boot upper shown in FIG. 15;

FIG. 20 is a front elevational view of the skate boot upper shown in FIG. 15;

FIG. 21 is a rear elevational view of the skate boot upper shown in FIG. 15;

FIG. 22 is a front perspective view of a fourth embodiment of a right skate boot upper embodying our design, a left skate boot upper being a mirror image thereof;

FIG. 23 is a left side elevational view of the skate boot upper shown in FIG. 22;

FIG. 24 is a bottom plan view of the skate boot upper shown in FIG. 22;

FIG. 25 is a top plan view of the skate boot upper shown in FIG. 22;

FIG. 26 is a right side elevational view of the skate boot upper shown in FIG. 22;

FIG. 27 is a front elevational view of the skate boot upper shown in FIG. 22; and,

FIG. 28 is a rear elevational view of the skate boot upper shown in FIG. 22.

The broken line in the Figures illustrating the tongue and a typical skate blade are for illustrative purposes and forms no part of the claimed design. The shaded portions of FIGS. 8-21 are made of a reflective material. The crossed hatched portions of FIGS. 22-28 are made of a textured material.

1 Claim, 16 Drawing Sheets




Fig. 1



Fig.2




Fig.3




Fig.4



Fig.5




Fig.6




Fig.7



Fig. 8



Fig.9




Fig.10




Fig.11



Fig.12




Fig. 13




Fig. 14




Fig. 15



Fig.16




Fig.17




Fig.18



Fig.19




Fig.20




Fig.21




Fig.22



Fig.23




Fig.24




Fig.25



Fig.26




Fig.27




Fig.28

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 410,136
DATED : May 25, 1999
INVENTOR(S) : Lefebvre, et. al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Col. 2, lines 9-11, replace "The broken line the Figures illustrating the tongue and a typical skate blade are for illustrative purposes and forms no part of the claimed design." with --The broken lines in the Figures, which illustrate a tongue, eyelet holes for shoelaces, and a typical skate blade are for illustrative purposes only and form no part of the claimed design.--

Signed and Sealed this
Twelfth Day of September, 2000

Attest:



Q. TODD DICKINSON

Attesting Officer

Director of Patents and Trademarks