



US00D410205S

United States Patent [19]

Ames et al.

[11] **Patent Number: Des. 410,205**

[45] **Date of Patent: ** May 25, 1999**

[54] **RECEIVER**

[75] Inventors: **David Michael Ames; Kerrin Maurice Lyons**, both of London, United Kingdom

[73] Assignee: **KinderTec Limited**, Cambridge, United Kingdom

[**] Term: **14 Years**

[21] Appl. No.: **29/088,406**

[22] Filed: **May 22, 1998**

[30] **Foreign Application Priority Data**

Nov. 26, 1997 [GB] United Kingdom 2070726

[51] **LOC (6) Cl.** **10-05**

[52] **U.S. Cl.** **D10/104; D14/159**

[58] **Field of Search** D10/104, 106, D10/116, 121; D14/159, 191, 194; 340/345, 348, 349, 351, 354, 371, 372, 373, 571, 572, 573

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 376,765 12/1996 Barnes D10/104

D. 376,991 12/1996 Freese et al. D10/104
D. 377,457 1/1997 Arney et al. D10/104
D. 386,703 11/1997 Nowak D10/104
D. 394,652 5/1998 Greger D10/104

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Lee, Mann, Smith, McWilliam, Sweeney & Ohlson


[57] **CLAIM**

The ornamental design for a receiver, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a receiver according to our invention,
FIG. 2 is a side elevational view thereof, taken from the left side of FIG. 1,
FIG. 3 is a top plan view thereof,
FIG. 4 is a rear elevational view thereof,
FIG. 5 is a side elevational view of the opposite side thereof,
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 3 Drawing Sheets






Fig 1




Fig 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7