US00D410384S

United States Patent [19]

Gaffney et al.

[11] **Patent Number: Des. 410,384**

[45] **Date of Patent: ** Jun. 1, 1999**

[54] **BATTERY PACKAGE**

[75] Inventors: **Robert C. Gaffney**, Sun Prairie; **Gerald A. Albright**, Middleton; **Larry K. Bauer**, Madison, all of Wis.

[73] Assignee: **Rayovac Corporation**, Madison, Wis.

[**] Term: **14 Years**

[21] Appl. No.: **29/086,883**

[22] Filed: **Apr. 22, 1998**

[51] **LOC (6) Cl.** **09-07**
[52] **U.S. Cl.** **D9/415**
[58] **Field of Search** D9/415, 418, 341, D9/337, 346, 456; 206/461–471, 806, 333, 303, 445, 495, 775–783; 224/902

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 222,581	11/1971	Nakakuma	D9/415
D. 295,833	5/1988	Roth	D9/337
D. 307,554	5/1990	McAlister, Sr.	D9/415
D. 330,855	11/1992	Demopoulos et al.	D9/341 X
D. 393,799	4/1998	Pope et al.	D9/415
D. 394,207	5/1998	Waterbury et al.	D9/415
4,896,770	1/1990	Cacerano et al.	206/461 X
5,311,989	5/1994	Ward et al. .	
5,429,233	7/1995	Juaristi	206/461 X
5,462,161	10/1995	Haaburda et al.	206/420 X
5,586,657	12/1996	Ward et al. .	
5,593,636	1/1997	Dyboe et al.	206/464

OTHER PUBLICATIONS

"New PDQ Display," Rayovac Corporation, Madison, Wisconsin, no date.
"Rayovac Maximum® Challenge Dangler," Rayovac Corporation, Madison, Wisconsin, no date.
U.S. App. No. 29/083,016, filed Feb. 2, 1998.
"New Maximum™ Alkaline 16 Pack," Rayovac Corporation, Madison, Wisconsin© 1997.

Primary Examiner—Prabhakar G. Deshmukh
Attorney, Agent, or Firm—Lathrop & Clark LLP

[57] **CLAIM**

The ornamental design for a battery package, as shown and described.

DESCRIPTION

FIG. **1** is a front isometric view of the battery package of this invention;

FIG. **2** is a right side elevational view thereof;

FIG. **3** is a left side elevational view thereof;

FIG. **4** is a front elevational view thereof;

FIG. **5** is a rear elevational view thereof;

FIG. **6** is is a top plan view thereof;

FIG. **7** is a bottom plan view thereof;

FIG. **8** is a front isometric view of an alternative embodiment battery package of this invention, the rear elevational view thereof being identical to the view of FIG. **5**;

FIG. **9** is a right side elevational view thereof;

FIG. **10** is a left side elevational view thereof;

FIG. **11** is a front elevational view thereof;

FIG. **12** is is a top plan view thereof; and,

FIG. **13** is a bottom plan view thereof.

1 Claim, 4 Drawing Sheets





Fig.1



Fig.2



Fig.3



Fig.4



Fig.5



Fig.6



Fig.7



Fig.8



Fig.9



Fig.10



Fig.11



Fig.12



Fig.13