



US00D410385S

**United States Patent** [19]  
**Björnholt**

[11] **Patent Number: Des. 410,385**  
[45] **Date of Patent: \*\* Jun. 1, 1999**

[54] **BLANK FOR A CARRIER FOR A PLURALITY OF ITEMS**

[75] Inventor: **Arne Erik Björnholt**, Hønefoss, Norway

[73] Assignee: **Norpapp Industri A/S**, Baerums Verk, Norway

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/042,758**

[22] Filed: **Aug. 16, 1995**

[30] **Foreign Application Priority Data**

Feb. 20, 1995 [NO] Norway ..... D950139

[51] **LOC (6) Cl.** ..... **09-03**

[52] **U.S. Cl.** ..... **D9/433**

[58] **Field of Search** ..... D3/318, 307, 327, D3/328; D8/300; 294/137, 149, 156, 146, 159, 170; D9/434-455, 433; 24/30.5 S; 383/6, 13, 25, 71, 78

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

1,691,741	11/1928	Snyder	.....	383/6
1,792,885	2/1931	Andrews	.....	383/6 X
2,896,814	7/1959	Altenburg	.....	294/159 X
3,568,918	3/1971	Blomqvist	.....	383/6 X
3,877,352	4/1975	Brieske	.....	383/6 X
4,989,993	2/1991	Barnard	.....	383/6

*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—Catherine R Oliver  
*Attorney, Agent, or Firm*—Davis and Bujold

[57] **CLAIM**

The ornamental design for a blank for a carrier for a plurality of items, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view of a first embodiment of

a blank for a carrier for a plurality of items, the rear view being a mirror image thereof;

FIG. 2 is a side view, the opposite side view being a mirror image thereof;

FIG. 3 is a front elevational view of a second embodiment, the rear view being a mirror image thereof;

FIG. 4 is a side view, the opposite side view being a mirror image thereof;

FIG. 5 is a front elevational view of a third embodiment, the rear view being a mirror image thereof;

FIG. 6 is a side view, the opposite side view being a mirror image thereof;

FIG. 7 is a front elevational view of a fourth embodiment, the rear view being a mirror image thereof;

FIG. 8 is a side view, the opposite side view being a mirror image thereof;

FIG. 9 is a front elevational view of a fifth embodiment, the rear view being a mirror image thereof;

FIG. 10 is a side view, the opposite side view being a mirror image thereof;

FIG. 11 is a front elevational view of a sixth embodiment, the rear view being a mirror image thereof;


FIG. 12 is a side view, the opposite side view being a mirror image thereof;

FIG. 13 is a front elevational view of a seventh embodiment, the rear view being a mirror image thereof; and,

FIG. 14 is a side view, the opposite view being a mirror image thereof.

The broken lines in FIGS. 1-14 represent fold lines.

**1 Claim, 7 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11



FIG. 12




FIG. 13




FIG. 14