



US00D410431S

United States Patent [19]

Sasago et al.

[11] Patent Number: **Des. 410,431**

[45] Date of Patent: **** Jun. 1, 1999**

[54] **BATTERY CHARGER**

5,739,666 4/1998 Nierescher et al. 320/113

[75] Inventors: **Osamu Sasago; Hiroki Oka**, both of Tokyo, Japan

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Foley & Lardner

[73] Assignee: **Sony Corporation**, Tokyo, Japan

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a battery charger, as shown and described.

[21] Appl. No.: **29/082,659**

DESCRIPTION

[22] Filed: **Jan. 29, 1998**

FIG. 1 is a perspective view of a first embodiment of a battery charger showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a left side elevational view thereof, a right side elevational view thereof being the same; FIG. 4 is a front elevational view thereof, a rear elevational view thereof being the same; FIG. 5 is a bottom plan view thereof; and, FIG. 6 is a rear elevational view of a second embodiment of a battery charger showing our new design, the rest of the views thereof are the same as those of the first embodiment.

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/107**

[58] **Field of Search** D13/107, 108,
D13/119; 320/110, 112-115

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 288,432	2/1987	Nagele	D13/107
D. 326,583	6/1992	Mohri	D13/108
D. 328,056	7/1992	Watanabe et al.	D13/108

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 6




FIG. 5

