



US00D410476S

United States Patent [19]

Gomi et al.

[11] **Patent Number: Des. 410,476**
[45] **Date of Patent: ** Jun. 1, 1999**

[54] **ROBOT**

[75] Inventors: **Hiroshi Gomi; Hideaki Takahashi; Ken-ichi Ogawa; Hitoshi Toyoda; Jun Ito**, all of Wako, Japan

[73] Assignee: **Honda Giken Kogyo Kabushiki Kaisha**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/084,820**

[22] Filed: **Mar. 11, 1998**

[30] **Foreign Application Priority Data**

Sep. 12, 1997 [JP] Japan 9-67795

[51] **LOC (6) Cl.** **15-99**

[52] **U.S. Cl.** **D15/199**

[58] **Field of Search** D15/199; D21/166, D21/171, 177; 364/424.02; 318/568.12, 568.2; 180/8.6

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,680,022 7/1987 Hoshino et al. 364/424.02

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Nikaido, Marmelstein, Murray & Oram LLP

[57] **CLAIM**

The ornamental design for a robot, as shown and described.

DESCRIPTION

FIG. 1 is a right-front perspective view of a robot showing our new design;

FIG. 2 is a left-front perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a top plan view thereof and,

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a botom view thereof.

1 Claim, 4 Drawing Sheets




FIG. 2




FIG. 1




FIG.4




FIG.3




FIG. 6




FIG. 5




FIG. 8




FIG. 7

