



US00D410622S

United States Patent [19] Richter

[11] **Patent Number: Des. 410,622**
[45] **Date of Patent: ** Jun. 8, 1999**

[54] **INSTRUMENT HOLDER**
[76] Inventor: **Herbert Richter**, Drosselweg 8, 75331 Engelbrand, Germany
[**] Term: **14 Years**
[21] Appl. No.: **29/087,464**
[22] Filed: **May 4, 1998**
[51] **LOC (6) Cl. 12-16**
[52] **U.S. Cl. D12/425**
[58] **Field of Search D12/400, 415-418, D12/425, 426.1; D6/418, 458, 462, 513, 553, 574, 509-512; 108/6, 44, 139, 142-144; 211/86-90, 126, 134, 71, 75; 248/309.1, 311.2, 205.5; D24/227, 127-128**

5,407,158 4/1995 Baird 248/205.5
5,485,793 1/1996 Crowell 108/44
5,550,311 8/1996 Soltau 224/483
5,785,222 7/1998 Basso et al. 224/555

Primary Examiner—Doris V. Coles
Assistant Examiner—Stacia Sinuik
Attorney, Agent, or Firm—Klaus J. Bach

[57] CLAIM


The ornamental design for an instrument holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the instrument holder; FIG. 2 is a top view of the instrument holder shown in FIG. 1; FIG. 3 is a bottom view of the instrument holder shown in FIG. 1; FIG. 4 is a side view of the instrument holder shown in FIG. 3; FIG. 5 is a right end view of the instrument holder shown in FIG. 1 but supporting the instrument from the top; and, FIG. 6 is a left end view of the instrument holder shown in FIG. 1, supporting the instrument from the top. The broken line showing of environment is for illustrative purposes only and forms no part of the claimed design.

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 331,332 12/1992 Farmer D6/509 X
D. 344,651 3/1994 Reese D6/574
D. 366,799 2/1996 Curtin D6/574
D. 387,807 12/1997 McAllister D6/553 X
4,672,898 6/1987 Davidson 108/44
4,872,174 10/1989 Sheppard et al. 224/400
4,877,164 10/1989 Baucom 224/545
4,962,874 10/1990 Hagglund 224/276 X
5,086,958 2/1992 Nagy 224/311

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6