



US00D410682S

United States Patent [19] Izushima

[11] **Patent Number: Des. 410,682**
[45] **Date of Patent: ** Jun. 8, 1999**

[54] **WRITING INSTRUMENT**

1,353,215 9/1920 Campbell 15/432

[75] Inventor: **Hikomichi Izushima**, Kawagoe, Japan

Primary Examiner—Martie K. Holtje
Attorney, Agent, or Firm—McGinn & Gibb, P.C.

[73] Assignee: **Kotobuki & Co., Ltd.**, Kyoto, Japan

[**] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/097,626**

The ornamental design for a writing instrument, as shown and described.

[22] Filed: **Dec. 10, 1998**

DESCRIPTION

Related U.S. Application Data

[62] Division of application No. 29/088,280, May 20, 1998.

FIG. 1 is a front elevational view of the writing instrument according to a first embodiment of the present invention; FIG. 2 is a right side elevational view of the writing instrument of FIG. 1, the left side being a mirror image of the right side;

[30] **Foreign Application Priority Data**

Nov. 21, 1997	[JP]	Japan	9-7607
Nov. 21, 1997	[JP]	Japan	9-76069
May 15, 1998	[JP]	Japan	10-13893
May 15, 1998	[JP]	Japan	10-13894

FIG. 3 is a rear elevational view of the writing instrument of FIG. 1;

[51] **LOC (6) Cl.** **19-06**

FIG. 4 is a top plan view of the writing instrument of FIG. 1;

[52] **U.S. Cl.** **D19/51; D19/55; D19/56; D19/49; D19/53; D19/48**

FIG. 5 is a bottom plan view of the writing instrument of FIG. 1;

[58] **Field of Search** **D19/35, 36, 41-51, D19/53-58, 81-85; 401/6, 7, 88, 99, 100, 103, 104, 110, 111, 209; 15/105.51, 424-434**

FIG. 6 is a front perspective view of the writing instrument of FIG. 1, with a writing tip being projected;

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 46,588	10/1914	Boman	D19/55
D. 191,341	9/1961	Fuchs	D19/51
D. 338,039	8/1993	Takahashi	D19/47 X
D. 355,673	2/1995	Takahashi	D19/48
D. 363,084	10/1995	Hollington	D19/51
D. 375,525	11/1996	Boix Gacia	D19/56 X
D. 402,693	12/1998	Sunaga	D19/48
D. 402,695	12/1998	Izushima	D19/55 X
D. 404,765	1/1999	Izushima et al.	D19/53 X

FIG. 7 is a front elevational view of the writing instrument according to a second embodiment of the present invention; FIG. 8 is a right side elevational view of the writing instrument of FIG. 7, the left side being a mirror image of the right side;

FIG. 9 is a rear elevational view of the writing instrument of FIG. 7;

FIG. 10 is a top plan view of the writing instrument of FIG. 7;

FIG. 11 is a bottom plan view of the writing instrument of FIG. 7; and,

FIG. 12 is a front perspective view of the writing instrument of FIG. 7, with a writing tip being projected.

1 Claim, 4 Drawing Sheets




FIG. 5




FIG. 4




FIG. 2




FIG. 1




FIG. 3




FIG. 6




FIG. 11 FIG. 10





FIG. 8

FIG. 7

FIG. 9






FIG. 12

