



US00D410682S

# United States Patent [19] Izushima

[11] **Patent Number: Des. 410,682**  
[45] **Date of Patent: \*\* Jun. 8, 1999**

[54] **WRITING INSTRUMENT**

[75] Inventor: **Hikomichi Izushima**, Kawagoe, Japan  
[73] Assignee: **Kotobuki & Co., Ltd.**, Kyoto, Japan  
[\*\*] Term: **14 Years**  
[21] Appl. No.: **29/097,626**  
[22] Filed: **Dec. 10, 1998**

1,353,215 9/1920 Campbell ..... 15/432

*Primary Examiner*—Martie K. Holtje  
*Attorney, Agent, or Firm*—McGinn & Gibb, P.C.

[57] **CLAIM**

The ornamental design for a writing instrument, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the writing instrument according to a first embodiment of the present invention; FIG. 2 is a right side elevational view of the writing instrument of FIG. 1, the left side being a mirror image of the right side; FIG. 3 is a rear elevational view of the writing instrument of FIG. 1; FIG. 4 is a top plan view of the writing instrument of FIG. 1; FIG. 5 is a bottom plan view of the writing instrument of FIG. 1; FIG. 6 is a front perspective view of the writing instrument of FIG. 1, with a writing tip being projected; FIG. 7 is a front elevational view of the writing instrument according to a second embodiment of the present invention; FIG. 8 is a right side elevational view of the writing instrument of FIG. 7, the left side being a mirror image of the right side; FIG. 9 is a rear elevational view of the writing instrument of FIG. 7; FIG. 10 is a top plan view of the writing instrument of FIG. 7; FIG. 11 is a bottom plan view of the writing instrument of FIG. 7; and, FIG. 12 is a front perspective view of the writing instrument of FIG. 7, with a writing tip being projected.

**Related U.S. Application Data**

[62] Division of application No. 29/088,280, May 20, 1998.

[30] **Foreign Application Priority Data**

Nov. 21, 1997 [JP] Japan ..... 9-7607  
Nov. 21, 1997 [JP] Japan ..... 9-76069  
May 15, 1998 [JP] Japan ..... 10-13893  
May 15, 1998 [JP] Japan ..... 10-13894

[51] **LOC (6) Cl.** ..... **19-06**

[52] **U.S. Cl.** ..... **D19/51; D19/55; D19/56; D19/49; D19/53; D19/48**

[58] **Field of Search** ..... **D19/35, 36, 41-51, D19/53-58, 81-85; 401/6, 7, 88, 99, 100, 103, 104, 110, 111, 209; 15/105.51, 424-434**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 46,588 10/1914 Boman ..... D19/55  
D. 191,341 9/1961 Fuchs ..... D19/51  
D. 338,039 8/1993 Takahashi ..... D19/47 X  
D. 355,673 2/1995 Takahashi ..... D19/48  
D. 363,084 10/1995 Hollington ..... D19/51  
D. 375,525 11/1996 Boix Gacia ..... D19/56 X  
D. 402,693 12/1998 Sunaga ..... D19/48  
D. 402,695 12/1998 Izushima ..... D19/55 X  
D. 404,765 1/1999 Izushima et al. .... D19/53 X

**1 Claim, 4 Drawing Sheets**




FIG. 5




FIG. 4




FIG. 2




FIG. 1




FIG. 3




FIG. 6




FIG. 11      FIG. 10





FIG. 8

FIG. 7

FIG. 9






FIG. 12

