



US00D410861S

United States Patent [19]
De Winter

[11] **Patent Number: Des. 410,861**
[45] **Date of Patent: ** Jun. 15, 1999**

[54] **SAFETY SIGN**
[75] **Inventor: Koen De Winter**, Beaconsfield, Canada
[73] **Assignee: Avmor Ltd.**, Montreal, Canada
[**] **Term: 14 Years**

[21] **Appl. No.: 29/081,681**
[22] **Filed: Jan. 8, 1998**
[51] **LOC (6) Cl. 10-05**
[52] **U.S. Cl. D10/109; D20/41**
[58] **Field of Search 116/63 P; D10/109,**
D10/114; D20/10, 17, 41; 40/646, 584,
612, 588, 611, 618

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 222,397 10/1971 Cathey, Jr. D10/109
5,493,292 2/1996 Fanslow et al. 40/612 X
5,729,926 3/1998 Cowgill et al. 40/610


OTHER PUBLICATIONS
Portable Sign Kit, p. BA37, Seton identification Products,
Aug. 1994.
Primary Examiner—Susan J. Lucas

Assistant Examiner—Jennifer Rivard
Attorney, Agent, or Firm—Robic

[57] **CLAIM**
The ornamental design for a safety sign, as shown and described.

DESCRIPTION
FIG. 1 is a front perspective view of the drawing of the design where two safety signs are located back to back on a regular safety sign;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side view thereof, the other side view being a mirror image of this one;
FIG. 4 is a back elevational view;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 shows a variation on the design where the hooks on each side of the sign are slightly curved inwardly.
The second embodiment differs from the first only by the hooks on the side of the safety sign. The broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6




FIG. 7