



US00D410863S

United States Patent [19]

Hasegawa et al.

[11] Patent Number: Des. 410,863

[45] Date of Patent: ** Jun. 15, 1999

[54] EMERGENCY LIGHT

[75] Inventors: Kouichi Hasegawa; Masahito Maeda; Satoshi Demachi, all of Tokyo, Japan

[73] Assignee: Nohmi Bosai Ltd., Tokyo, Japan

[**] Term: 14 Years

[21] Appl. No.: 29/083,667

[22] Filed: Feb. 13, 1998

[51] LOC (6) Cl. 10-06

[52] U.S. Cl. D10/114; D26/85

[58] Field of Search 362/85, 92, 95, 362/147, 432, 253, 310, 311, 84; D26/87, 92, 85, 51, 37, 49; D10/114

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 323,405	1/1992	Kin	D26/85 X
D. 357,997	5/1995	Wegrzyn et al.	D26/85
D. 368,045	3/1996	Akers, Sr.	D26/37
2,702,862	2/1955	Finney	362/84 X

Primary Examiner—Susan J. Lucas
Attorney, Agent, or Firm—Wenderoth, Lind & Ponack, L.L.P.

[57] **CLAIM**

The ornamental design for an emergency light, as shown and described.

DESCRIPTION

The present invention relates to an emergency light to be mounted on a wall surface or the like for use and requiring no power supply. When a lever extending downward from a case is pushed, chemiluminescent light sticks accommodated in the case illuminate and a top cover for covering the front portion of the case is opened.

FIG. 1 is a front elevational view of an emergency light showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side view thereof;

FIG. 6 is a right side view thereof;

FIG. 7 is a sectional view thereof as taken along line 7—7 of FIG. 1; and,

FIG. 8 is a front elevational view thereof in a state that a top cover is opened.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

