

US00D410898S

United States Patent [19]

Lin

[11] Patent Number: Des. 410,898

[45] Date of Patent: ** Jun. 15, 1999

[54] FLUSH MOUNT WALL PLATE

[75] Inventor: Mike H. Lin, Cerritos, Calif.

[73] Assignee: International Connectors and Cable

Corporation, Cerritos, Calif.

[**] Term: 14 Years

[21] Appl. No.: 29/075,426

[22] Filed: Aug. 19, 1997

[52] **U.S. Cl.** **D13/177**

[56] References Cited

PUBLICATIONS

The Siemon Company, "1997 Catalog," p. 27.

Mod-Tap Catalog, p. C-14 pub'd prior to filing date. International Conenctors and Cable Corporation, Catalog. "Premise Wiring Solutions" pp. 24 and 25, pub'd prior to filing date.

WM Communications Catalog, p. 33 pub'd prior to filing date.

AMP Catalog, p. 63 pub'd prior to filing date.

Suttle Apparatus Catalog, May 1994 The Complete Catalog of Voice/Data.

Devices and Telecom Apparatus, pp. 21, 22, 24, 39, 40, pub'd prior to filing date.

Graybar Catalog, pp. 8–67 and 8–68, pub'd prior to filing date.

Primary Examiner—Brian N. Vinson

Attorney, Agent, or Firm—Christie, Parker & Hale, LLP

[57] CLAIM

I claim a flush mount wall plate, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a flush mount wall plate with jack showing my new design, including a single piece electrical outlet design.

FIG. 2 is a front perspective view thereof;

FIG. 3 is a rear perspective view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a right side view thereof, the left side view being identical;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a front view of a second embodiment of a flush mount wall plate with jack showing my new design, including a single piece electrical outlet design;

FIG. 9 is a front view of a third embodiment of a flush mount wall plate with CATV connector showing my new design, including a single piece electrical outlet design;

FIG. 10 is a front perspective view thereof;

FIG. 11 is a rear perspective view thereof;

FIG. 12 is a rear view thereof;

FIG. 13 is a right side view thereof, the left side view being identical;

FIG. 14 is a top view thereof;

FIG. 15 is a bottom view thereof;

FIG. 16 is a front view of a fourth embodiment of a flush mount wall plate with duplex jack showing my new design, including a single piece electrical outlet design;

FIG. 17 is a front perspective view thereof;

FIG. 18 is a rear perspective view thereof;

FIG. 19 is a rear view thereof;

FIG. 20 is a right side view thereof, the left side view being identical;

FIG. 21 is a top view thereof;

FIG. 22 is a bottom view thereof;

FIG. 23 is a front view of a fifth embodiment of a flush mount wall plate with duplex jack, including a single piece electrical outlet design;

FIG. 24 is a front view of a sixth embodiment of a flush mount wall plate with duplex jack, including a single piece electrical outlet design;

FIG. 25 is a front view of a seventh embodiment of a flush mount wall plate with jack and CATV connector showing my new design, including a single piece electrical outlet design;

FIG. 26 is a front perspective view thereof;

FIG. 27 is a rear perspective view thereof;


FIG. 28 is a rear view thereof;


FIG. 29 is a right side view thereof, the left side view being identical;


FIG. 30 is a top view thereof; and,


FIG. 31 is a bottom view thereof.

1 Claim, 8 Drawing Sheets














FIG. 3




FIG. 2




FIG. 4







FIG. 5






FIG. 6




FIG. 8

Jun. 15, 1999








FIG. 9








FIG. 12





FIG. 13






FIG. 14







FIG. 16














FIG. 20














FIG. 25





Jun. 15, 1999




FIG. 28




FIG. 29

