



US00D410958S

# United States Patent [19]

[11] Patent Number: **Des. 410,958**

Curran et al.

[45] Date of Patent: **\*\* Jun. 15, 1999**

[54] **BELT MOUNTED PASSENGER SAFETY HANDLE**

4,413,358 11/1983 Jimenez ..... 2/311 X  
5,081,719 1/1992 Donnelly ..... 2/311  
5,110,315 5/1992 Zawitz ..... 446/102

[76] Inventors: **Walter H. Curran**, 3499 W. 49th St.;  
**Larry E. Lyle**, 3506 W. 48th St., both  
of Cleveland, Ohio 44102

*Primary Examiner*—Paula A. Mortimer  
*Attorney, Agent, or Firm*—Joseph H. Taddeo

[\*\*] Term: **14 Years**

[57] **CLAIM**

[21] Appl. No.: **29/088,886**

The ornamental design for a belt mounted passenger safety handle, as shown and described.

[22] Filed: **Jun. 3, 1998**

**DESCRIPTION**

[51] **LOC (6) Cl.** ..... **02-07**

[52] **U.S. Cl.** ..... **D2/639; D2/624**

[58] **Field of Search** ..... D2/624, 627, 629,  
D2/639; 2/301, 305, 311, 322, 338; 280/801;  
D12/114; D11/16, 17, 18; D21/777; 446/102,  
121; D8/318

FIG. 1 is a front perspective view of a belt mounted passenger safety handle showing our new design, the dashed lines show conventional stitching;

FIG. 2 is a top plan view thereof, the bottom plan view is a mirror image;

FIG. 3 is an elevational view of FIG. 1, the opposite side elevational view is plane and unornamented;

FIG. 4 is an elevational view of FIG. 1, the broken line showing of the belt is for illustrative purposes only and forms no part of the claimed design;

FIG. 5 is a front elevational view thereof; and,


FIG. 6 is a rear elevational view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

1,878,048 9/1932 Wheeler ..... 2/322  
3,896,499 7/1975 Kelly ..... 2/311  
4,028,742 6/1977 Marquis ..... 2/305  
4,411,222 10/1983 Wolfson ..... 2/305

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6