



US00D411124S

United States Patent [19]

Karlin

[11] Patent Number: Des. 411,124
[45] Date of Patent: ** Jun. 22, 1999

[54] SIGNALING LAMP

[75] Inventor: James H. Karlin, Fairport, N.Y.
[73] Assignee: Star Headlight and Lantern Co., Inc., Avon, N.Y.
[**] Term: 14 Years
[21] Appl. No.: 29/067,418
[22] Filed: Feb. 27, 1997
[51] LOC (6) Cl. 10-05
[52] U.S. Cl. D10/114
[58] Field of Search D10/104, 109, D10/114, 121; D26/72; 362/811, 812, 234, 240, 374, 432, 468-475; 40/584, 617, 624

[56] References Cited

U.S. PATENT DOCUMENTS

D. 322,584 12/1991 Kawashima et al. D10/114
D. 331,198 11/1992 Nickerson D10/114
D. 363,036 10/1995 Sasaki D10/114
D. 363,250 10/1995 Miyatake D10/114
4,283,169 8/1981 Juomala D10/114

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—M. LuKacher; K. LuKacher

[57] CLAIM

The ornamental design for a signaling lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a signaling lamp in accordance with a first embodiment of the invention;

1 Claim, 4 Drawing Sheets

FIG. 2 is a top plan view of the device shown in FIG. 1;

FIG. 3 is a bottom plan view of the device shown in FIG. 1;

FIG. 4 is a perspective view of a signaling lamp having a plurality of the visual signaling modules of the device shown in FIG. 1 in a stacked arrangement, constituting another embodiment of the invention;



FIG. 5 is a perspective view of a signaling lamp similar to the device shown in FIG. 4 wherein the base has ornamentation differing from that shown in FIG. 4 and constituting still another embodiment of the invention;

FIG. 6 is a perspective view of the device shown in FIGS. 1, 2 and 3;

FIG. 7 is a perspective view of a signaling lamp in accordance with still another embodiment of the invention which is identical to the device shown in FIGS. 1, 2, 3 and 6 except for the ornamentation of the base;

FIG. 8 is a perspective view of a signaling lamp similar to the device shown in FIG. 5 except for the striated appearance of the modules of the device and constituting still another embodiment of the invention; and,

FIG. 9 is a front elevational view of a signaling lamp similar to the device shown in FIGS. 1, 2, 3 and 6 except for the striated appearance of the visual signaling module thereof, and constituting still another embodiment of the invention.






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 8





FIG. 9