



US00D411124S

United States Patent [19]
Karlin

[11] **Patent Number: Des. 411,124**
[45] **Date of Patent: ** Jun. 22, 1999**

[54] **SIGNALING LAMP**

[75] Inventor: **James H. Karlin**, Fairport, N.Y.

[73] Assignee: **Star Headlight and Lantern Co., Inc.**,
Avon, N.Y.

[**] Term: **14 Years**

[21] Appl. No.: **29/067,418**

[22] Filed: **Feb. 27, 1997**

[51] **LOC (6) Cl.** **10-05**

[52] **U.S. Cl.** **D10/114**

[58] **Field of Search** D10/104, 109,
D10/114, 121; D26/72; 362/811, 812, 234,
240, 374, 432, 468-475; 40/584, 617, 624

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 322,584	12/1991	Kawashima et al.	D10/114
D. 331,198	11/1992	Nickerson	D10/114
D. 363,036	10/1995	Sasaki	D10/114
D. 363,250	10/1995	Miyatake	D10/114
4,283,169	8/1981	Juomala	D10/114

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—M. LuKacher; K. LuKacher

[57] **CLAIM**

The ornamental design for a signaling lamp, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a signaling lamp in accordance with a first embodiment of the invention;

FIG. 2 is a top plan view of the device shown in FIG. 1;

FIG. 3 is a bottom plan view of the device shown in FIG. 1;

FIG. 4 is a perspective view of a signaling lamp having a plurality of the visual signaling modules of the device shown in FIG. 1 in a stacked arrangement, constituting another embodiment of the invention;

FIG. 5 is a perspective view of a signaling lamp similar to the device shown in FIG. 4 wherein the base has ornamentation differing from that shown in FIG. 4 and constituting still another embodiment of the invention;



FIG. 6 is a perspective view of the device shown in FIGS. 1, 2 and 3;

FIG. 7 is a perspective view of a signaling lamp in accordance with still another embodiment of the invention which is identical to the device shown in FIGS. 1, 2, 3 and 6 except for the ornamentation of the base;

FIG. 8 is a perspective view of a signaling lamp similar to the device shown in FIG. 5 except for the striated appearance of the modules of the device and constituting still another embodiment of the invention; and,

FIG. 9 is a front elevational view of a signaling lamp similar to the device shown in FIGS. 1, 2, 3 and 6 except for the striated appearance of the visual signaling module thereof, and constituting still another embodiment of the invention.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

FIG. 8





FIG. 9