



US00D411137S

**United States Patent** [19]  
**Goldstein**

[11] **Patent Number: Des. 411,137**  
[45] **Date of Patent: \*\* Jun. 22, 1999**

[54] **RIBBON BOW**

[76] Inventor: **Fredric Goldstein**, Verrodovagen 207,  
13141 Nacka, Sweden

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/087,668**

[22] Filed: **May 7, 1998**

[51] **LOC (6) Cl.** ..... **11-99**

[52] **U.S. Cl.** ..... **D11/184**

[58] **Field of Search** ..... D11/184; 428/4,  
428/5

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 319,419	8/1991	Cheng	.....	D11/184
D. 350,313	9/1994	Edwards	.....	D11/184
D. 386,719	11/1997	Cheng	.....	D11/184
1,587,294	6/1926	Gallagher	.....	428/4
5,026,578	6/1991	Iname	.....	428/4

**OTHER PUBLICATIONS**

*1998 Glitterwrap Everyday Catalog*, pp. 1, 77 and 79.

*Primary Examiner*—Dominic Simone

*Attorney, Agent, or Firm*—Stroock & Stroock & Lavan LLP

[57] **CLAIM**

The ornamental design for a ribbon bow, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of a ribbon bow constructed in accordance with the present invention;

FIG. 2 is a left side elevational view of the ribbon bow;

FIG. 3 is a top plan view of the ribbon bow;

FIG. 4 is a bottom plan view of the ribbon bow;

FIG. 5 is a right side elevational view of the ribbon bow;

FIG. 6 is a rear elevational view of the ribbon bow;

FIG. 7 is a front elevational view of a ribbon bow constructed in accordance with a second embodiment of the present invention;

FIG. 8 is a left side elevational view of the ribbon bow constructed in accordance with the second embodiment of the invention;

FIG. 9 is a top plan view of the ribbon bow constructed in accordance with the second embodiment of the invention;



FIG. 10 is a bottom plan view of the ribbon constructed in accordance with the second embodiment of the invention;

FIG. 11 is a right side elevational view of the ribbon bow constructed in accordance with the second embodiment of the invention; and,



FIG. 12 is a rear elevational view of the ribbon bow constructed in accordance with the second embodiment of the invention.

Applicant hereby disclaims the rectangular back support for the ribbon bow as shown in FIGS. 1-12.

**1 Claim, 6 Drawing Sheets**




*FIG. 1*




*FIG. 2*



*FIG. 3*



*FIG. 4*



*FIG. 5*



*FIG. 6*

FIG. 7






FIG. 8

*FIG. 9*



*FIG. 10*




FIG. 11





FIG. 12