



US00D411163S

# United States Patent [19]

Bunter

[11] Patent Number: Des. 411,163

[45] Date of Patent: \*\* Jun. 22, 1999

[54] ADJUSTABLE ROLLER ASSEMBLY FOR USE WITH A VEHICLE ROOF RACK

[76] Inventor: William A. Bunter, Sirois Rd. —Arrowsic Island, Bath, Me. 04530

[\*\*] Term: 14 Years

[21] Appl. No.: 29/078,876

[22] Filed: Oct. 31, 1997

[51] LOC (6) Cl. .... 12-16

[52] U.S. Cl. .... D12/414

[58] Field of Search ..... D12/400, 406, D12/412, 414; 224/42.2, 309, 316-317, 322-329, 331, 321; 296/37.1

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 294,137	2/1988	Robson	.....	D12/414
D. 299,224	1/1989	Kamaya	.....	D12/414
D. 316,068	4/1991	Rasor et al.	.....	D12/414
D. 334,162	3/1993	Cucheran et al.	.....	D12/414
D. 334,373	3/1993	Cucheran	.....	D12/414
D. 340,690	10/1993	Arvidsson	.....	D12/414
D. 346,355	4/1994	Weger, Jr. et al.	.....	D12/414
D. 359,943	7/1995	Cucheran et al.	.....	D12/414
D. 380,188	6/1997	Prasatek et al.	.....	D12/412
D. 382,533	8/1997	Okland	.....	D12/414

Primary Examiner—Doris V. Coles

Assistant Examiner—Stacia Sinuik

Attorney, Agent, or Firm—Salter & Michaelson

### [57] CLAIM

The ornamental design for an adjustable roller assembly for use with a vehicle roof rack, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view of an adjustable roller assembly for use with a vehicle roof rack shown mounted a rack, showing my new design;

FIG. 2 is an enlarged front perspective view thereof showing the roller located in the lowermost position;

FIG. 3 is an enlarged right side view thereof;

FIG. 4 is an enlarged left side view of thereof;

FIG. 5 is an enlarged top plan view thereof;

FIG. 6 is an enlarged bottom view thereof;

FIG. 7 is an enlarged rear elevation view thereof;

FIG. 8 is an enlarged front elevational view thereof;



FIG. 9 is an enlarged perspective view showing the roller in the intermediate position; and,

FIG. 10 is an enlarged perspective view showing the roller located in the uppermost position.

The portions shown in broken lines in FIG. 1 are for information only and form no part of the instant design.

The adjustable roller assembly for use with a vehicle roof rack has been shown broken away in FIGS. 2 and 5-10 for ease of illustration.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10