



US00D411166S

United States Patent [19]

Uemura et al.

[11] **Patent Number: Des. 411,166**

[45] **Date of Patent: ** Jun. 22, 1999**

[54] **CHARGER**

[75] Inventors: **Shigehiro Uemura**, Kyoto; **Toyomi Arita**, Shijounawate, both of Japan

[73] Assignee: **Sanyo Electric Co., Ltd.**, Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/088,276**

[22] Filed: **May 20, 1998**

[30] Foreign Application Priority Data

Nov. 21, 1997 [JP] Japan 9-76114

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/107**

[58] **Field of Search** D13/107, 108;
320/107, 111-115

[56] References Cited

U.S. PATENT DOCUMENTS

D. 211,185 5/1968 Cox D13/108
D. 219,847 2/1971 Mango et al. D13/108

D. 274,903 7/1984 Eckmann et al. D13/107
D. 302,808 8/1989 Skuza et al. D13/107
D. 342,718 12/1993 Mackay D13/108
D. 401,552 11/1998 Tanaka et al. D13/107

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Loeb & Loeb LLP

[57] CLAIM

The ornamental design for a charger, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our design; FIG. 2 is a front elevational view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a left side elevational view thereof; and, FIG. 7 is a right side elevational view thereof. The broken line showing of the battery in FIG. 1 is included for the purpose of illustrating environmental structure only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

