



US00D411196S

**United States Patent** [19]  
**Mischenko et al.**

[11] **Patent Number: Des. 411,196**

[45] **Date of Patent: \*\* Jun. 22, 1999**

[54] **PORTABLE RADIOTELEPHONE**  
[75] Inventors: **Nicholas Mischenko**, Mount Prospect;  
**Kenneth W. Carlson**, Hawthorn  
Woods, both of Ill.  
[73] Assignee: **Motorola, Inc.**, Schaumburg, Ill.  
[\*\*] Term: **14 Years**

[21] Appl. No.: **29/041,894**  
[22] Filed: **Jul. 26, 1995**  
[51] **LOC (6) Cl.** ..... **14-03**  
[52] **U.S. Cl.** ..... **D14/138**  
[58] **Field of Search** ..... D14/137, 138,  
D14/140, 142, 147, 148, 240, 248, 218;  
379/433, 434, 428, 440, 419, 420; 455/90,  
550-575

[56] **References Cited**  
**U.S. PATENT DOCUMENTS**

D. 325,028	3/1992	Nagele et al.	.....	D14/138
D. 325,029	3/1992	Nagele et al.	.....	D14/147 X
D. 327,062	6/1992	Taylor et al.	.....	D14/138
D. 337,763	7/1993	Seki et al.	.....	D14/138
D. 339,337	9/1993	Taylor	.....	D14/138
D. 342,248	12/1993	Nagele et al.	.....	D14/138
D. 343,616	1/1994	Nagele et al.	.....	D14/138
D. 353,588	12/1994	Goergen et al.	.....	D14/148 X
D. 357,250	4/1995	Ifuji et al.	.....	D14/138
D. 375,732	11/1996	Lindeman et al.	.....	D14/138
D. 385,877	11/1997	Lindemann et al.	.....	D14/138
D. 388,079	12/1997	Lohrding	.....	D14/138
D. 394,256	5/1998	Lohrding	.....	D14/138
5,335,273	8/1994	Takagi et al.	.....	379/433
5,640,690	6/1997	Kudrna	.....	455/575

*Primary Examiner*—Jeffrey Asch  
*Attorney, Agent, or Firm*—Randall S. Vaas; Rolland R.  
Hackbart; Daniel W. Juffernbruch


[57] **CLAIM**


The ornamental design for a portable radiotelephone, as shown and described.

**DESCRIPTION**

FIG. 1 is a top and left side perspective view of the portable radiotelephone showing a first embodiment of our new design;  
FIG. 2 is a top and left side perspective view of the portable radiotelephone showing a second embodiment of our new design;  
FIG. 3 is a right side view showing the first embodiment thereof;  
FIG. 4 is a right side view showing the second embodiment thereof;  
FIG. 5 is a bottom view showing the first embodiment thereof;  
FIG. 6 is a bottom view showing the second embodiment thereof;  
FIG. 7 is an end view showing the first embodiment thereof; and,  
FIG. 8 is an end view showing the second embodiment thereof.  
The two embodiments, at the front, have the same appearance in the open and closed positions. The only difference between the two embodiments is in the absence of the battery from the second embodiment.  
The broken line showings throughout the views are for illustrative purposes only and form no part of the claimed design.


**1 Claim, 4 Drawing Sheets**






*FIG. 1*







*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*



*FIG. 6*



*FIG. 7*



*FIG. 8*