



US00D411214S

# United States Patent [19] Hamamura

[11] Patent Number: **Des. 411,214**  
[45] Date of Patent: **\*\* Jun. 22, 1999**

## [54] BINOCULARS

[75] Inventor: **Toshihiro Hamamura**, Saitama, Japan

[73] Assignee: **Asahi Kogaku Kogyo Kabushiki Kaisha**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/089,238**

[22] Filed: **Jun. 10, 1998**

### [30] Foreign Application Priority Data

Dec. 12, 1997	[JP]	Japan	.....	9-78252
Dec. 12, 1997	[JP]	Japan	.....	9-78253
Dec. 12, 1997	[JP]	Japan	.....	9-78254
Dec. 12, 1997	[JP]	Japan	.....	9-78255

[51] LOC (6) Cl. .... **16-06**

[52] U.S. Cl. .... **D16/133**

[58] Field of Search ..... D16/133; 359/408,  
359/409, 410, 411, 417, 418, 421, 422

## [56] References Cited

### U.S. PATENT DOCUMENTS

D. 336,654	6/1993	Kung	.....	D16/133
D. 377,184	1/1997	Wells et al.	.....	D16/387
D. 387,785	12/1997	Matsushita	.....	D16/133
3,257,901	6/1966	Dowling et al.	.....	D16/133 X
4,013,340	3/1977	Mukai et al.	.....	359/417
4,013,341	3/1977	Riley	.....	359/408
5,604,631	2/1997	Gelardi et al.	.....	359/411 X

*Primary Examiner*—Paula A. Mortimer

*Attorney, Agent, or Firm*—Sughrue, Mion, Zinn, Macpeak & Seas, PLLC

## [57] CLAIM

The ornamental design for binoculars, as shown and described.

## DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side of binoculars according to a first embodiment showing my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a left side elevational view thereof;

FIG. 5 is a right side elevational view thereof;

FIG. 6 is a rear elevational view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view similar to FIG. 1 with the binoculars in an extended condition;

FIG. 9 is a perspective view similar to FIG. 1 of a second embodiment;

FIG. 10 is a top plan view thereof;

FIG. 11 is a left side elevational view thereof;

FIG. 12 is a right side elevational view thereof;

FIG. 13 is a bottom plan view thereof;

FIG. 14 is a view similar to FIG. 9 with the binoculars in an extended condition;

FIG. 15 is a perspective view similar to FIG. 1 showing a third embodiment;

FIG. 16 is a top plan view thereof;

FIG. 17 is a front elevational view thereof;

FIG. 18 is a rear elevational view thereof;

FIG. 19 is a bottom plan view thereof;

FIG. 20 is a perspective view similar to FIG. 15 with the binoculars in an extended condition;

FIG. 21 is a view similar to FIG. 1 showing a fourth embodiment;

FIG. 22 is a top plan view thereof;

FIG. 23 is a front elevational view thereof;


FIG. 24 is a rear elevational view thereof;

FIG. 25 is a bottom plan view thereof; and,


FIG. 26 is a perspective view similar to FIG. 21 with the binoculars in an extended condition.

The rear elevational view of the second embodiment is identical to the rear elevational view of the first embodiment and the left and right side elevational views of the third and fourth embodiments are identical to the left and right side elevational views of the first embodiment.


**1 Claim, 8 Drawing Sheets**




*FIG. 1*




*FIG. 2*




*FIG. 3*




*FIG. 4*




*FIG. 5*




*FIG. 6*




*FIG. 7*




*FIG. 8*




**FIG. 9**




**FIG. 10**




**FIG. 11**




**FIG. 12**




*FIG. 13*




*FIG. 14*




*FIG. 15*




*FIG. 16*




*FIG. 17*




*FIG. 18*




*FIG. 19*




*FIG. 20*




*FIG. 21*



*FIG. 22*




*FIG. 23*






*FIG. 24*



*FIG. 25*



*FIG. 26*

