



US00D411375S

United States Patent [19]

Onishi et al.

[11] Patent Number: Des. 411,375

[45] Date of Patent: ** Jun. 22, 1999

[54] **COMBINED CHILD BED AND SAFETY SEAT FOR AN AUTOMOBILE**

[75] Inventors: **Ichiro Onishi; Toshiyuki Imamichi,**
both of Osaka, Japan

[73] Assignee: **Aprica Kassai Kabushikikaisha,**
Osaka, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/091,518**

[22] Filed: **Jul. 31, 1998**

Related U.S. Application Data

[62] Division of application No. 29/068,371, Apr. 8, 1997, Pat. No. Des. 405,277.

[30] Foreign Application Priority Data

Jan. 22, 1997	[JP]	Japan	9-1487
Jan. 22, 1997	[JP]	Japan	9-1488
Jan. 22, 1997	[JP]	Japan	9-1489
Jan. 22, 1997	[JP]	Japan	9-1490

[51] **LOC (6) Cl.** **06-01**

[52] **U.S. Cl.** **D6/333; D6/335**

[58] **Field of Search** D6/333, 334, 335,
D6/336, 339, 367, 368, 500, 501, 502;
297/250.1, 468

[56] References Cited

U.S. PATENT DOCUMENTS

D. 195,672	7/1963	Hamilton et al. .
D. 287,670	1/1987	Kassai .
D. 311,281	10/1990	Meeker .
D. 315,453	3/1991	Takada .
D. 342,616	12/1993	Gunji et al. .

D. 356,690	3/1995	Kassai	D6/333
D. 366,965	2/1996	Meeker et al. .	
D. 383,912	9/1997	Meeker et al.	D6/333
3,252,734	5/1966	Berlin .	

Primary Examiner—Gary D. Watson
Attorney, Agent, or Firm—W. F. Fasse; W. G. Fasse



[57] CLAIM

The ornamental design for a combined child bed and safety seat for an automobile, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a combined child bed and safety seat for an automobile, showing our new design, in a first alternative configuration adapted for use as a child bed; FIG. 2 is a rear view thereof; FIG. 3 is a top plan view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a right side view thereof; FIG. 7 is a front perspective view thereof; FIG. 8 is a front view of the combined child bed and safety seat for an automobile, showing our new design, in a second alternative configuration adapted for use as a child safety seat; FIG. 9 is a rear view thereof; FIG. 10 is a top plan view thereof; FIG. 11 is a bottom plan view thereof; FIG. 12 is a left side view thereof; FIG. 13 is a right side view thereof; and, FIG. 14 is a front perspective view thereof. The fragmented cross-hatching shown on the straps in FIGS. 2 to 4, 7 to 10 and 14 is intended to represent fabric and should be understood to be continuous throughout the implied areas.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14