



US00D411602S

United States Patent [19] Schleh

[11] **Patent Number: Des. 411,602**

[45] **Date of Patent: ** Jun. 29, 1999**

[54] **GOLF BALL MARK REPAIR TOOL**

[76] Inventor: **Robert C. Schleh**, 1851 Rockwood Dr.,
Sacramento, Calif. 95864

[**] Term: **14 Years**

[21] Appl. No.: **29/089,695**

[22] Filed: **Jun. 19, 1998**

[51] **LOC (6) Cl. 21-02**

[52] **U.S. Cl. D21/793**

[58] **Field of Search D21/789, 793;**
473/286, 408

D. 387,409 12/1997 Cole, Jr. D21/793
D. 390,904 2/1998 Newbold et al. D21/793
D. 391,318 2/1998 Shah et al. D21/793
4,386,774 6/1983 Buckman 473/286

OTHER PUBLICATIONS

Golfsmith Store; p. 25; divot tools, Mar. 1998.

Primary Examiner—Mitchell I Siegel

[57] CLAIM

The ornamental design for a golf ball mark repair tool, as shown and described.

DESCRIPTION


FIG. 1 is a front elevation view of golf ball mark repair tool showing my new design;
FIG. 2 is a left side elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a bottom plan view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 2 Drawing Sheets

[56] References Cited

U.S. PATENT DOCUMENTS

D. 246,989 1/1978 Higgins et al. D21/793
D. 331,090 11/1992 Cellura D21/793
D. 340,755 10/1993 Shearer D21/793
D. 356,358 3/1995 Woodruff D21/793
D. 361,815 8/1995 Fazekas D21/793
D. 381,055 7/1997 Jones et al. D21/793
D. 384,719 10/1997 Fazekas D21/793
D. 385,323 10/1997 Horton D21/793






FIG 5



FIG 4




FIG 1



FIG 6



FIG 2




FIG 3




FIG 7