



US00D411691S

United States Patent [19]

Sacco et al.

[11] Patent Number: Des. 411,691
[45] Date of Patent: ** Jun. 29, 1999

[54] SURFACE CONFIGURATION OF MOVEABLE SEAT

[75] Inventors: **Bruno Sacco; Harald Leschke**, both of Sindelfingen, Germany; **Olivier Boulay**, Tokyo, Japan; **Shuichi Yamashita**, Yokohama, Japan; **Anthony Lo**, Tokyo, Japan

[73] Assignee: **Daimler-Benz Aktiengesellschaft**, Stuttgart, Germany

[**] Term: 14 Years

[21] Appl. No.: 29/092,459

[22] Filed: Aug. 19, 1998

[51] LOC (6) Cl. 06-01

[52] U.S. Cl. D6/356; D6/360

[58] Field of Search D6/334, 335, 336, D6/356, 360, 361, 367, 500, 501, 502; 297/423.28, 423.3

[56] References Cited

U.S. PATENT DOCUMENTS

D. 132,542	5/1942	Dreyfuss	D6/360
D. 273,157	3/1984	Staub	D6/356
D. 273,920	5/1984	Tixier	D6/356
D. 285,630	9/1986	Rodriquez	D6/360
D. 315,255	3/1991	Beermann	D6/356
D. 321,097	10/1991	Jones et al.	D6/360
D. 356,694	3/1995	Armbrecht	D6/356
D. 379,409	5/1997	Schwaegerle et al.	D6/360
D. 395,558	6/1998	Gryp et al.	D6/356
5,362,132	11/1994	Griswold et al.	D6/356

OTHER PUBLICATIONS

Seat Covers for Datsun & Toyota, p. 83, JC Whitney catalog, Jun. 29, 1982.

Primary Examiner—Doris V. Coles

Assistant Examiner—Mimosa De

Attorney, Agent, or Firm—Evenson McKeown Edwards & Lenahan, PLLC

[57] CLAIM

The ornamental design for a surface configuration of moveable seat, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a surface configuration of moveable seat according to our novel design;

FIG. 2 is a top view of a surface configuration of moveable seat according to our novel design;

FIG. 3 is a left side view of a surface configuration of moveable seat according to our novel design, the right side view being mirror symmetrical;


FIG. 4 is a perspective view from the front left of a surface configuration of moveable seat according to our novel design, the perspective view from the front right being mirror symmetrical;

FIG. 5 is a perspective view from the front left of a surface configuration of moveable seat according to our novel design, depicting the seat in a reclined position, the perspective view from the front right being mirror symmetrical; and,

FIG. 6 is a perspective view from the front left of a surface configuration of moveable seat according to our novel design depicting the seat in a reclined position and the lower portion of the seat extended, the front right being mirror symmetrical.

The bottom and rear portions of the seat are not part of the claimed design. Also, the dash line included depicts environment and is not part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2

U.S. Patent

Jun. 29, 1999

Sheet 2 of 4

Des. 411,691




FIG. 3




FIG. 4




FIG. 5




FIG. 6