



US00D411730S

United States Patent [19] Matyko

[11] **Patent Number: Des. 411,730**

[45] **Date of Patent: ** Jun. 29, 1999**

[54] **PADLOCK BODY**

[75] Inventor: **Adalbert Matyko**, Ashdod, Israel

[73] Assignee: **Mul-T-Lock Technologies Ltd.**, Yavne, Israel

[**] Term: **14 Years**

[21] Appl. No.: **29/088,932**

[22] Filed: **Jun. 4, 1998**

[30] **Foreign Application Priority Data**

May 21, 1998 [IL] Israel 29908

[51] **LOC (6) Cl.** **08-07**

[52] **U.S. Cl.** **D8/334**

[58] **Field of Search** D8/334, 343; 70/31, 70/35, 20, 51, 52, 56

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 296,519 7/1988 Newman et al. D8/334

D. 314,908	2/1991	Pedersen	D8/334
D. 342,009	12/1993	Lebrecht et al.	D8/334
3,835,675	9/1974	Lippisch	70/56 X
3,858,923	1/1975	Bunn	70/56 X
4,689,975	9/1987	Dunphy et al.	70/56
5,655,391	8/1997	Long	70/56

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Lilling & Lilling, P.C.


[57] **CLAIM**

The ornamental design for a padlock body, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a padlock body showing my new design;
FIG. 2 is a right side elevational view thereof, the left side being a mirror image of that shown;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a top, front, and left side perspective view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5




FIG. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT : **Des. 411,730**

Page 1 of 4

DATED : **June 29, 1999**

INVENTOR(S) : **Adalbert Matyko**


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing the incorrect illustrative figure and priority application number "29908", should be deleted and substitute therefor the attached title page showing the correct illustrative figure and priority application number --29909--.

Drawing Sheets 1 of 2 and 2 of 2, consisting of FIGS. 1-6, should be deleted and substitute therefor the attached Drawing Sheets 1 of 2 and 2 of 2.

Signed and Sealed this
Eighteenth Day of July, 2000

Attest:



Q. TODD DICKINSON

Attesting Officer

Director of Patents and Trademarks



US00D411730S

United States Patent [19]
Matyko

[11] **Patent Number:** **Des. 411,730**

[45] **Date of Patent:** **** Jun. 29, 1999**

[54] **PADLOCK BODY**

[75] **Inventor:** **Adalbert Matyko, Ashdod, Israel**

[73] **Assignee:** **Mul-T-Lock Technologies Ltd., Yavne, Israel**

[**] **Term:** **14 Years**

[21] **Appl. No.:** **29/088,932**

[22] **Filed:** **Jun. 4, 1998**

[30] **Foreign Application Priority Data**

May 21, 1998 [IL] Israel 29909

[51] **LOC (6) Cl.** **08-07**

[52] **U.S. Cl.** **D8/334**

[58] **Field of Search** **D8/334, 343; 70/31, 70/35, 20, 51, 52, 56**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 296,519 7/1988 Newman et al. D8/334

D. 314,908	2/1991	Pedersen	D8/334
D. 342,009	12/1993	Lebrecht et al.	D8/334
3,835,675	9/1974	Lippisch	70/56 X
3,858,923	1/1975	Bunn	70/56 X
4,689,975	9/1987	Dunphy et al.	70/56
5,655,391	8/1997	Long	70/56

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Lilling & Lilling, P.C.


[57] **CLAIM**

The ornamental design for a padlock body, as shown and described.

DESCRIPTION

FIG. 1 is a bottom plan view of a padlock body showing my new design;
FIG. 2 is a right side elevational view thereof, the left side being a mirror image of that shown;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a top, front, and left side perspective view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2





FIG. 3

FIG. 4






FIG. 5.




FIG. 6