



US00D411741S

# United States Patent [19]

Wilson et al.

[11] Patent Number: **Des. 411,741**

[45] Date of Patent: **\*\* Jun. 29, 1999**

[54] TALL SQUARE CONTAINER WITH LID

[75] Inventors: **Daniel C. Wilson**, Carmel, Ind.; **Jeffrey J. Zettle**, Bay City; **Donald E. Hodge**, Clare, both of Mich.; **Eric B. Schaper**, Midland, Mich.

[73] Assignee: **S. C. Johnson Home Storage, Inc.**, Racine, Wis.

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/089,833**

[22] Filed: **Jun. 24, 1998**

[51] LOC (6) Cl. .... **09-07**

[52] U.S. Cl. .... **D9/425; D7/629; D7/602**

[58] Field of Search ..... D9/415, 418, 423, D9/424, 425, 432; D7/601, 602, 629, 538; 220/306, 307, 337, 334, 352-256, 662, 675; 229/406, 4.5, 938; 426/106

### [56] References Cited

#### U.S. PATENT DOCUMENTS

- D. 277,632 2/1985 Staufenberg .
- D. 279,952 8/1985 Daenen et al. .
- D. 282,808 3/1986 Daenen et al. .
- D. 282,809 3/1986 Daenen et al. .
- D. 297,875 9/1988 Carville .
- D. 318,982 8/1991 Gecchelin .
- D. 319,165 8/1991 Gecchelin .
- D. 336,850 6/1993 Guillin ..... D9/425 X
- D. 339,744 9/1993 Seppala ..... D9/425
- D. 350,880 9/1994 Van Valkenburg et al. .
- D. 351,090 10/1994 Narsutis .
- D. 351,765 10/1994 Beeler et al. .

- D. 355,814 2/1995 Van Valkenburg et al. .
- D. 357,161 4/1995 Booten .
- D. 366,397 1/1996 Zimmerman .
- D. 366,989 2/1996 Zimmerman .
- D. 369,282 4/1996 Arduini .
- D. 372,174 7/1996 Arduini .
- D. 378,563 3/1997 Ferris .
- D. 379,431 5/1997 Mangla ..... D9/425 X
- D. 388,325 12/1997 Tucker et al. .
- D. 390,109 2/1998 Tucker et al. .
- 3,424,342 1/1969 Scopp et al. .... 220/306
- 3,447,714 6/1969 Elliot ..... 206/508 X
- 4,373,642 2/1983 Wolters et al. .... 220/657 X
- 4,819,824 4/1989 Lonebottom et al. .... 220/306 X

### OTHER PUBLICATIONS

Ultra Pac Containers, p. 21, Mar. 1995.

Primary Examiner—Prabhakar Deshmukh

### [57] CLAIM

The ornamental design for a tall square container with lid, as shown and described.

### DESCRIPTION

FIG. 1 is a front perspective view illustrating a tall square container with lid constructed in accordance with the teachings of the present invention;

FIG. 2 is a top plan view thereof;

FIG. 3 is a bottom plan view thereof;


FIG. 4 is a front view thereof;

FIG. 5 is a rear view thereof;

FIG. 6 is a left side elevational view; and,

FIG. 7 is a right side view thereof.

1 Claim, 4 Drawing Sheets






Fig-1




Fig-2




Fig-3




Fig-4




Fig-5




Fig-6




Fig-7