



US00D411962S

# United States Patent [19] Hewitt

[11] Patent Number: Des. 411,962

[45] Date of Patent: \*\* Jul. 13, 1999

[54] VIBRATOR HAND FOR AN ALARM CLOCK

D. 373,316 9/1996 Walters ..... D10/104  
D. 405,020 2/1999 Brown et al. .... D10/104

[76] Inventor: Brian C. Hewitt, 11 Sunset La.,  
Pompano Beach, Fla. 33062

Primary Examiner—Marcus A. Jackson  
Attorney, Agent, or Firm—Oltman, Flynn & Kubler

[\*\*] Term: 14 Years

[57] CLAIM

[21] Appl. No.: 29/095,986

The ornamental design for a vibrator hand for an alarm clock, as shown and described.

[22] Filed: Nov. 3, 1998

### DESCRIPTION

[51] LOC (6) Cl. .... 10-05

[52] U.S. Cl. .... D10/104

[58] Field of Search ..... D10/104, 106,  
D10/116, 121; 340/539, 541, 545, 546,  
547, 561, 562, 566, 567, 568, 571, 572,  
573


FIG. 1 is a front elevational view of a vibrator hand for an alarm clock showing my new ornamental design with the cord broken away to indicate indeterminate length; FIG. 2 is a top plan view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a left side elevational view thereof; and, FIG. 6 is a right side elevational view thereof.

[56] References Cited

### U.S. PATENT DOCUMENTS

D. 320,023 9/1991 Gault ..... D10/104

1 Claim, 2 Drawing Sheets






FIG. 2

FIG. 1





FIG. 3

FIG. 4





FIG. 5




FIG. 6