



US00D412286S

**United States Patent** [19]  
**Shimamura**

[11] **Patent Number: Des. 412,286**  
[45] **Date of Patent: \*\* Jul. 27, 1999**

[54] **CLOCK**

[75] Inventor: **Katsumi Shimamura**, Tokyo, Japan

[73] Assignee: **Seiko Clock Inc.**, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/068,648**

[22] Filed: **Mar. 26, 1997**

[51] **LOC (6) Cl.** ..... **10-01**

[52] **U.S. Cl.** ..... **D10/18; D10/28**

[58] **Field of Search** ..... **D10/1-40, 122-126;**  
**368/276-277, 285, 316-317**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

- D. 309,573 7/1990 Hirota ..... D10/18
- D. 309,574 7/1990 Mayuzumi ..... D10/18
- D. 354,003 1/1995 Takashima ..... D10/18

*Primary Examiner*—Nelson C. Holtje

*Attorney, Agent, or Firm*—Adams & Wilks



[57] **CLAIM**


The ornamental design for a clock, as shown and described.

**DESCRIPTION**


FIG. 1 is a front elevational view of a clock showing my new design with the lid opened;  
 FIG. 2 is a rear elevational view thereof;  
 FIG. 3 is a right side elevational view thereof;  
 FIG. 4 is a left side elevational view thereof;  
 FIG. 5 is a top plan view thereof;  
 FIG. 6 is a bottom plan view thereof;  
 FIG. 7 is a front elevational view thereof with the lid closed;  
 FIG. 8 is a rear elevational view thereof with the lid closed;  
 FIG. 9 is a right side elevational view thereof with the lid closed;  
 FIG. 10 is a left side elevational view thereof with the lid closed;  
 FIG. 11 is a top plan view thereof with the lid closed; and,  
 FIG. 12 is a bottom plan view thereof with the lid closed.

**1 Claim, 2 Drawing Sheets**







*FIG. 1*




*FIG. 3*




*FIG. 5*




*FIG. 6*




*FIG. 2*



*FIG. 4*




*FIG. 7*




*FIG. 9*



*FIG. 11*



*FIG. 12*



*FIG. 8*



*FIG. 10*