



US00D412331S

**United States Patent** [19]  
**Nakamura**

[11] **Patent Number: Des. 412,331**  
[45] **Date of Patent: \*\* Jul. 27, 1999**

[54] **TRANSMITTER**

5,281,970 1/1994 Blaese ..... 341/176

[75] Inventor: **Mitsuhiro Nakamura**, Tokyo, Japan

**OTHER PUBLICATIONS**

Catalog "87", pp. 245, Sony (Nov. 1996).

[73] Assignee: **Sony Corporation**, Tokyo, Japan

*Primary Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Foley & Lardner

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/083,614**

[57] **CLAIM**

[22] Filed: **Feb. 13, 1998**

The ornamental design for a transmitter, as shown and described.

[30] **Foreign Application Priority Data**

**DESCRIPTION**

Aug. 13, 1997 [JP] Japan ..... 9-64552

[51] **LOC (6) Cl.** ..... **14-03**

FIG. 1 is a perspective view of a transmitter showing my new design;

[52] **U.S. Cl.** ..... **D14/155; D14/124**

FIG. 2 is a top plan view thereof;

[58] **Field of Search** ..... D10/104, 106;  
D14/124, 155, 159, 217, 259, 265, 299,  
205; 341/176; 455/91, 95, 97, 128

FIG. 3 is a left side elevational view thereof;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a rear elevational view thereof; and,

FIG. 8 is a reference perspective view thereof in the using condition.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 325,578	4/1992	Daido et al.	.....	D14/155
D. 346,172	4/1994	Fields et al.	.....	D14/155 X
D. 350,956	9/1994	Sumikawa	.....	D14/155
D. 355,913	2/1995	Chong	.....	D14/155 X
D. 371,361	7/1996	Velinsky	.....	D14/155

The broken line showing the headphone of FIG. 8 is for illustrative purposes only and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**




FIG. 1




FIG.2




FIG.4




FIG.5




FIG.7




FIG.6




FIG.3




FIG. 8

