



US00D412376S

United States Patent [19] Jurga et al.

[11] **Patent Number: Des. 412,376**
[45] **Date of Patent: ** Jul. 27, 1999**

[54] **PROTECTIVE HEADGEAR**
[75] Inventors: **Stanley Jurga**, Shirley, Mass.; **Charles O'Brien**, Tulsa, Okla.; **Eric Niskanen**, Etobicoke, Canada
[73] Assignee: **AMPAC Enterprises, Inc.**, Shirley, Mass.
[**] Term: **14 Years**

D. 257,073 9/1980 Jenkins D2/232
D. 257,698 12/1980 Skottheim D2/231
D. 355,394 2/1995 Bezener et al. D29/190
D. 358,232 5/1995 Hoshizaki et al. D29/106
D. 366,348 1/1996 Boone D29/111
D. 373,447 9/1996 Chen D29/111
D. 379,159 5/1997 Jackson D11/157

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Diller, Ramik & Wight, PC

[21] Appl. No.: **29/083,186**
[22] Filed: **Jan. 26, 1998**
[51] **LOC (6) Cl.** **29-02**
[52] **U.S. Cl.** **D29/106**
[58] **Field of Search** D29/102–111,
D29/122; 2/411, 412, 414, 417, 418, 421,
423, 425

[57] CLAIM

The ornamental design for protective headgear, as shown and described.


DESCRIPTION



FIG. 1 is a perspective view of a protective headgear showing our new design;
FIG. 2 is a side elevational view thereof and the opposite unillustrated side being a mirror image;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a front elevational view of the interior front thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
The crosshatch surface shading in FIGS. 1–2 and 4–6 is understood to repeat throughout the indicated area.

[56] References Cited U.S. PATENT DOCUMENTS

D. 238,118 12/1975 Rhee D29/107
D. 238,119 12/1975 Rhee D2/232
D. 238,121 12/1975 Rhee D29/106
D. 238,830 2/1976 Rhee D29/107
D. 243,484 3/1977 Rhee D2/232

1 Claim, 3 Drawing Sheets








FIG. 4




FIG. 3




FIG. 6




FIG. 5