



US00D412732S

United States Patent [19] Laney

[11] Patent Number: Des. 412,732

[45] Date of Patent: ** *Aug. 10, 1999

[54] FISHING LURE

4,862,629 9/1989 Ryan .

[76] Inventor: Scot H. Laney, 3545 NW. 123rd Pl.,
Portland, Oreg. 97229

(List continued on next page.)

[*] Notice: This patent is subject to a terminal disclaimer.

[**] Term: 14 Years

[21] Appl. No.: 29/084,314

[22] Filed: Feb. 27, 1998

[51] LOC (6) Cl. 22-05

[52] U.S. Cl. D22/126; D22/144

[58] Field of Search 43/42.39, 42.37;
D22/144, 145, 126, 132, 133

OTHER PUBLICATIONS

Bass Pro Shops 1996 Catalog, Stand-Up Jig Head, middle right of p. 212, Jul. 1996.
R. J. Tackle, Inc., Jigheads, Power Stand-up Jigheads, middle right of p. 8, Jul. 1996.
R. J. Tackle, Inc., Saltwater Lures and Jigheads, Largo Jighead, middle left of p. 19, Jul. 1996.

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Inga-Maria Hyttinen
Attorney, Agent, or Firm—Kolisch, Hartwell, Dickinson, McCormack & Heuser

[56] References Cited

U.S. PATENT DOCUMENTS

D. 153,798	5/1949	Hinkson .	
D. 234,763	4/1975	Weathered	D22/126
D. 327,939	7/1992	Stecher .	
D. 375,539	11/1996	Chu .	
D. 388,496	12/1997	Reiger .	
D. 405,863	2/1999	Laney	D22/126
D. 405,866	2/1999	Laney	D22/145
1,644,151	10/1927	Rodgers .	
1,801,940	4/1931	Stanley .	
1,963,380	6/1934	Peters et al. .	
2,241,767	5/1941	Cullerton .	
2,295,765	9/1942	Weber .	
2,567,180	9/1951	Bunkowski .	
2,605,577	8/1952	Waugler	43/42.39
2,788,605	4/1957	Rediess et al. .	
2,986,838	6/1961	Smyser .	
4,138,792	2/1979	Hill .	
4,141,171	2/1979	Muddiman .	
4,164,826	8/1979	Metzler et al. .	
4,177,597	12/1979	Thomassin .	
4,253,263	3/1981	Franklin et al. .	
4,750,291	6/1988	Chilton .	
4,783,928	11/1988	Weaver .	
4,793,089	12/1988	Long et al. .	
4,796,378	1/1989	Krueger et al. .	
4,827,660	5/1989	Dudeck .	
4,837,966	6/1989	Bethel .	
4,845,883	7/1989	Langer .	


[57] CLAIM

The ornamental design for a fishing lure, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a fishing lure showing my new design.
FIG. 2 is a bottom plan view thereof.
FIG. 3 is a rear elevation view thereof.
FIG. 4 is a front elevation view thereof.
FIG. 5 is a side elevation view thereof.
FIG. 6 is a top plan view of a fishing lure showing an alternate embodiment of my new design.
FIG. 7 is a bottom plan view thereof, with a sprue portion shown in dashed lines. The sprue portion forms no part of the claimed invention.
FIG. 8 is a rear elevation view thereof, with one end of a passage shown in dashed lines. The passage forms no part of the claimed invention.
FIG. 9 is a front elevation view thereof, with another end of the passage shown in dashed lines; and,
FIG. 10 is a side elevation view thereof, with the sprue portion shown in dashed lines.
The broken line showing of the environmental structure in all views of the drawing is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets



Des. 412,732

Page 2

U.S. PATENT DOCUMENTS

4,891,901	1/1990	Baker, Jr. .	5,182,876	2/1993	Lewis .
4,916,854	4/1990	Martin .	5,199,209	4/1993	Cook .
4,932,153	6/1990	Paluzzi .	5,216,830	6/1993	Brott, II .
4,947,574	8/1990	Tapley .	5,231,786	8/1993	Huges 43/42.39
4,962,610	10/1990	Bleam et al. .	5,251,395	10/1993	Wicklund .
4,998,373	3/1991	Braswell .	5,271,177	12/1993	Cook .
5,007,195	4/1991	Patterson .	5,305,543	4/1994	Fore .
5,018,297	5/1991	Kennedy, Jr. .	5,353,540	10/1994	Ward .
5,090,151	2/1992	Salminen .	5,428,917	7/1995	Cunningham .
5,094,926	3/1992	Correll et al. .	5,465,523	11/1995	Garst .
5,117,573	6/1992	Semler .	5,490,347	2/1996	Conley .
5,117,574	6/1992	Perry .	5,497,581	3/1996	Williams .
5,133,146	7/1992	Stecher .	5,605,004	2/1997	Boult et al. .
5,136,801	8/1992	Pond .	5,625,975	5/1997	Imes .
5,175,955	1/1993	Wilson et al. 43/42.39	5,649,384	7/1997	Manning 43/42.37

Fig. 1




Fig. 2




Fig. 5




Fig. 3




Fig. 4




Fig. 6




Fig. 8




Fig. 7




Fig. 9




Fig. 10

