



US00D412761S

# United States Patent [19]

Oki et al.

[11] Patent Number: Des. 412,761

[45] Date of Patent: \*\* Aug. 10, 1999

[54] FLEXIBLE SAFETY LIGHT STRIP

[76] Inventors: M. Lawrence Oki; George Oki, both of 5353 Dobson Way, Culver City, Calif. 90230

[\*\*] Term: 14 Years

[21] Appl. No.: 29/080,714

[22] Filed: Dec. 15, 1997

[51] LOC (6) Cl. .... 26-02

[52] U.S. Cl. .... D26/39

[58] Field of Search ..... D26/37-50; 362/103, 362/157, 158, 183-191, 194-202, 104, 105, 107, 108

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 266,712	11/1982	Van Valkenburgh	.....	D26/39
D. 356,648	3/1995	Abatiell et al.	.....	D26/39
D. 392,575	3/1998	Cureton	.....	D26/39

Primary Examiner—Marcus A. Jackson

Attorney, Agent, or Firm—G. Donald Weber, Jr.

### [57] CLAIM

The ornamental design for a flexible safety light strip, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of the flexible safety light strip of the instant invention in a flexed position.

FIG. 2 is a top plan view of the flexible safety light strip of the instant invention in an extended position.


FIG. 3 is an elevation view of the flexible safety light strip of the instant invention as shown in FIG. 2 but rotated 90°.


FIG. 4 is a bottom plan view of the flexible safety light strip of the instant invention as shown in FIG. 2.

FIG. 5 is an end view of the flexible safety light strip of the instant invention taken from the upper end as shown in FIGS. 2, 3 and 4.

FIG. 6 is the opposite end view of the flexible safety light strip of the instant invention taken from the lower end as shown in FIGS. 2, 3 and 4.


1 Claim, 2 Drawing Sheets






*Fig. 1*


*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*

