



US00D412913S

United States Patent [19]
Sasaki

[11] **Patent Number: Des. 412,913**

[45] **Date of Patent: ** Aug. 17, 1999**

[54] **ARM OF EXCAVATOR**

[75] Inventor: **Hidetoshi Sasaki**, Kawasaki, Japan

[73] Assignee: **Komatsu Ltd.**, Tokyo, Japan

[**] Term: **14 Years**

[21] Appl. No.: **29/081,153**

[22] Filed: **Dec. 23, 1997**

[30] **Foreign Application Priority Data**

Jun. 24, 1997 [JP] Japan 9-59011

[51] **LOC (6) Cl.** **15-04**

[52] **U.S. Cl.** **D15/32; D15/28**

[58] **Field of Search** D15/10, 22-25,
D15/28, 32; 414/685, 686, 694, 698, 699,
722

4,193,734 3/1980 Williams 414/694
 4,301,607 11/1981 Inui 414/722
 4,392,314 7/1983 Albrecht et al. 414/685
 5,152,659 10/1992 Waka 414/722
 5,611,657 3/1997 Peterson 414/722

Primary Examiner—Sandra L. Morris
Attorney, Agent, or Firm—Kanesaka & Takeuchi

[57] **CLAIM**

The ornamental design for an arm of excavator, as shown and described.

DESCRIPTION


FIG. 1 is a front view of an arm of excavator showing my new design;
 FIG. 2 is a top plan view thereof;
 FIG. 3 is a bottom plan view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a left side view thereof;
 FIG. 6 is a cross sectional view taken along line 6—6 in FIG. 1;
 FIG. 7 is a reduced front, left perspective view of the arm of excavator; and,
 FIG. 8 is a reduced front, right perspective view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 159,160 6/1950 Mork D15/32
 D. 339,813 9/1993 Houkom D15/32
 4,161,369 7/1979 Moreno 414/722

1 Claim, 3 Drawing Sheets








FIG. 1

FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8