



US00D412913S

**United States Patent** [19]  
**Sasaki**

[11] **Patent Number: Des. 412,913**

[45] **Date of Patent: \*\* Aug. 17, 1999**

[54] **ARM OF EXCAVATOR**

[75] Inventor: **Hidetoshi Sasaki**, Kawasaki, Japan

[73] Assignee: **Komatsu Ltd.**, Tokyo, Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **29/081,153**

[22] Filed: **Dec. 23, 1997**

[30] **Foreign Application Priority Data**

Jun. 24, 1997 [JP] Japan ..... 9-59011

[51] **LOC (6) Cl.** ..... **15-04**

[52] **U.S. Cl.** ..... **D15/32; D15/28**

[58] **Field of Search** ..... D15/10, 22-25,  
D15/28, 32; 414/685, 686, 694, 698, 699,  
722

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 159,160	6/1950	Mork	.....	D15/32
D. 339,813	9/1993	Houkom	.....	D15/32
4,161,369	7/1979	Moreno	.....	414/722

4,193,734	3/1980	Williams	.....	414/694
4,301,607	11/1981	Inui	.....	414/722
4,392,314	7/1983	Albrecht et al.	.....	414/685
5,152,659	10/1992	Waka	.....	414/722
5,611,657	3/1997	Peterson	.....	414/722

*Primary Examiner*—Sandra L. Morris  
*Attorney, Agent, or Firm*—Kanesaka & Takeuchi


[57] **CLAIM**

The ornamental design for an arm of excavator, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an arm of excavator showing my new design;  
FIG. 2 is a top plan view thereof;  
FIG. 3 is a bottom plan view thereof;  
FIG. 4 is a right side view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a cross sectional view taken along line 6—6 in FIG. 1;  
FIG. 7 is a reduced front, left perspective view of the arm of excavator; and,  
FIG. 8 is a reduced front, right perspective view thereof.

**1 Claim, 3 Drawing Sheets**








FIG. 1

FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8